Applicant:	Palsson, Bernhard Docket N	0. 000002-0092 Senai No. 03/323,010
Title:	METHODS FOR IDENTIFYING DRUG TARGETS BASED ON GENOMIC SEC	
Date Sent	Tiazzos Carino	Cert. of Mailing
⊠	Transmittal Letter	□ Div. □ PCT □ RCE □ Prov
	New Patent App Utility Design Cont CIP	
	Other:	Letter submittingpages of drawings
	pages of Specification	Req. for Approval of Drawing Amendments
	pages of Claims	Req. for Oral Hearing Not. of Appeal
	pages of Abstract	☐ Not. of Appeal ☐ Appeal Brief ☐ Reply Brief ☐ Rule 312 Amendment/Letter
	pages of Formal/Informal Drawings	Rea, for Acknowledgement of Cited Art
	Small Entity Large Entity	Issue Fee
	Declaration/Power of Attorney	
	Recordation of Assignment/Security Agreement	Publication Fee Reg. for Certificate of Correction
⊠	Communication with Exhibit A	Maintenance Fee foryears after grant
	314 References attached 13 7005	Fee Address Indication Form
_	1 105 (2)	Terminal Disclaimer
	Preliminary Americanical	Petition to Commissioner
	Response to Missing Parts Notice Resp. to Notice to Correct App. Papers	Status inquiry
H	Certified Copy of Priority Doc.	☐ Other
	Claim for Convention Priority	
ä	Response/Amendment to Office Action of	
	Request for month Extension of Time	
Check for		ty Init. DAG Tkpr. # 7318 Secy. or PL: CHines
CMS Descr	rio.	
	NT AND TRADEMARK OFFICE DATE STAMPED HEREON IS ACKNOWLEDGEMENT THAT TI	IF ITEMS CHECKED ABOVE, WERE RECEIVED BY THE PTO ON THE DATE STAMPED.
THE PATE	NT AND TRADEMARK OFFICE DATE STAMPED REREON IS ACKNOWLEDGEMENT THAT IT	TOTAL PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROP

Exhibit 1

Palsson, Bernhard

Docket No. 066662-0097

09/923,870

Docket No.: 066662-0092

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of : Customer Number: 41552

Palsson, Bernhard : Confirmation Number: 1729

Application No.: 09/923,870 : Group Art Unit: 1631

Filed: August 06, 2001 : Examiner: NEGIN, Russell Scott

For: METHODS FOR IDENTIFYING DRUG TARGETS BASED ON GENOMIC SEQUENCE

DATA

Mail Stop Amendment

P.O. Box 1450

Commissioner for Patents

Alexandria, VA 22313-1450

TRANSMITTAL

CERTIFICATE OF MAILING (37 CFR. § 1.8(a))

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First-Class Mail under 37 CFR 1.8(a) in an envelope addressed to Commissioner for Patents, P.O. Box 1450, 4lexandra, VA 22311-1450 on Jul 9, 2009.

Came Vine

Sir

Transmitted are the following:

- 1. Communication with Exhibit A attached
- 2. Three Hundred Fourteen (314) References

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment, to Deposit Account No. 502624, including any filing fees under 37 CFR 1.16 for presentation of extra claims and any patent application processing fees under 37 CFR 1.17.

Respectfully submitted.

McDERMOTT WILL & EMERY LLP

David A. Gay

Registration No. 39,200

11682 El Camino Real, Suite 400 San Diego, CA 92130 Phone: 858.720.3300 DAG;cih

Facsimile: 858.720.7800 Date: July 9, 2009 Please recognize our Customer No. 41552 as our correspondence address.

Docket No.: 066662-0092 PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of Customer Number: 41552

Palsson Bernhard Confirmation Number: 1729

Application No.: 09/923,870 Group Art Unit: 1631

Filed: August 06, 2001 Examiner: NEGIN, Russell Scott

METHODS FOR IDENTIFYING DRUG TARGETS BASED ON GENOMIC SEQUENCE. For:

DATA

COMMUNICATION

CERTIFICATE OF MAILING (37 CFR. § 1.8(a))

Mail Stop Amendment Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First-Class Mail under 37 CFR 1 8(a) in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on Jul 9, 2009.

Further to the Information Disclosure Statement and PTO Form 1449 filed June 18, 2009. provided herewith are copies of references cited in the Form 1449, but not provided with the previously filed Information Disclosure Statement. For the Examiner's convenience, the references are listed on the attached Exhibit A, and are identified by the original citation number included on the previously filed PTO Form 1449.

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment, to Deposit Account No. 502624, including any filing fees under 37 CFR 1.16 for presentation of extra claims and any patent application processing fees under 37 CFR 1.17.

Respectfully submitted,

McDERMOTT WILL & EMERY LLP

David A. Gav Registration No. 39,200

11682 El Camino Real, Suite 400 San Diego, CA 92130 Phone: 858,720,3300 DAG;cih

Facsimile: 858.720.7800 Date: July 9, 2009

Please recognize our Customer No. 41552 as our correspondence address.

 Escherichia coli via pyrroloquinoline quinone-dependent glucose dehydrogenase and the Entner-Doudoroff pathway," Appl Environ Microbiol, 57(7):2012-2015 (1991). Alberty, "Calculation of Biochemical Net Reactions and Pathways by Using Matrix Operations," Biophys. J. 71(1):507-515 (1996). Alm, et al., "Genomic-sequence comparison of two unrelated isolates of the human gastric pathogen Helicobacter pylori," Nature, 397(6715):176-80 (1999). Alm, et al., "Genomic-sequence comparison of two unrelated isolates of the human gastric pathogen Helicobacter pylori," Nature, 397(6715):176-80 (1999). Alon, et al., "Genomic-sequence comparison of two unrelated isolates of the human gastric pathogen Helicobacter pylori," Nature, 397(6715):176-80 (1999). Alon, et al., "Froad patterns of gene expression revealed by clustering analysis of ture and of the sequence of the sequence		
Operations." Biophys. J. 71(1):507-515 (1996). Alm, et al., "Genomic-sequence comparison of two unrelated isolates of the human gastric pathogen Helicobacter pylori," Nature, 397(6715):176-80 (1999). Alon, et al., "Broad patterns of gene expression revealed by clustering analysis of ture and normal colon tissues probed by oligonucleotide arrays," Proc Natl Acad Sci U.S. 96(12):6745-6750 (1999). Alter, et al., "Singular value decomposition for genome-wide expression data processing and modeling," Proc Natl Acad Sci U.S.A., 97(18):10101-10106 (2000). Altschul, et al., "Gapped Bl.AST and PSI-BLAST: A New Generation of Protein Database Search Programs," Nucl Acids Res, 25(17):3389-3402 (1997). Alves, et al., "Systemic properties of ensembles of metabolic networks: application of graphical and statistical methods to simple unbranched pathways," Bioinformatics, 16(6):534-547 (2000). Andre, "An overview of membrane transport proteins in Saccharomyces cerevisiae," Yeast, 11(16):1575-1611 (1995). Anomyous, "The yeast genome directory" Nature, 387(6632 Suppl):5 (1997). Appel, et al., "A new generation of information retrieval tools for biologists: the example of the ExPASy WWW server," Trends Biochem Sci, 19(6):258-260 (1994). Attanoos, et al., "Construction of Escherichia coli K-12 in-frame, single-gene knockout mutants: the Keio collection," Mol Syst Biol, 2:2006-2008 (2006). Bailey, "Complex Biology With No Parameters," Nat Biotechnol, 19(6):503-504 (2001). Bailey, TL and Elkan, C., "Fitting a mixture model by expectation maximization to sequence homology searches," Bioinformatics, 14(1):48-54 (1998). Bailey, TL and Gribskov, M., "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998). Bailey, TL and Gribskov, M., "Combining vidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998). Bailey, TL and Gribskov, M., "Combining vidence using p-values: application to sequence monology searches," Bioinformatic	29.	
gastric pathogen Helicobacter pyloni," Nature, 397(6715): 176-80 (1999). Alon, et al., "Broad patterns of gene expression revealed by clustering analysis of tur and normal colon tissues probed by oligonucleotide arrays," Proc Natl Acad Sci U.S. 96(12):6745-6750 (1999). Alter, et al., "Singular value decomposition for genome-wide expression data processing and modeling," Proc Natl Acad Sci U.S. A., 97(18):10101-10106 (2000). Altschul, et al., "Gapped BLAST and PS1-BLAST: A New Generation of Protein Database Search Programs," Nucl Acids Res. 25(17):3389-3402 (1997). Alves, et al., "Systemic properties of ensembles of metabolic networks: application of graphical and statistical methods to simple unbranched pathways," Bioinformatics, 16(6):534-547 (2000). Andre, "An overview of membrane transport proteins in Saccharomyces cerevisiae." Yeast, 11(16):1575-1611 (1995). Anonymous, "The yeast genome directory" Nature, 387(6632 Suppl):5 (1997). Appel, et al., "A new generation of information retrieval tools for biologists: the example of the ExPASy WWW server." Trends Biochem Sci, 19(6):528-560 (1994). Baba, et al., "Construction of Escherichia coli K-12 in-frame, single-gene knockout mutants: the Keio collection," Mol Syst Biol, 2:2006-2008 (2006). Bailey, "Complex Biology With No Parameters," Nat Biotechnol, 19(6):503-504 (2001). Bailey, TL and Elkan, C, "Fitting a mixture model by expectation maximization to discover motifs in biopolymers," Proc Int Conf Intell Syst Mol Biol, 2:28-36 (1994). Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998). Ball, et al., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res, 28(1):47-80 (2000). Ban, et al., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res, 28(1):77-80 (2000). Ban, et al., "Integrating functional genomic information into the Saccharomyces genome database," Nucle	30.	Operations," Biophys J, 71(1):507-515 (1996).
 and normal colon tissues probed by oligonucleotide arrays," Proc Natl Acad Sci U.S. 96(12):6745-6750 (1999). Alter, et al., "Singular value decomposition for genome-wide expression data processing and modeling." Proc Natl Acad Sci U.S.A., 97(18):10101-10106 (2000). Altschul, et al., "Gapped BLAST and PSI-BLAST: A New Generation of Protein Database Search Programs," Nucl Acids Res, 25(17):3389-3402 (1997). Alves, et al., "Systemic properties of ensembles of metabolic networks: application of graphical and statistical methods to simple unbranched pathways," Bioinformatics, 16(6):534-547 (2000). Andre, "An overview of membrane transport proteins in Saccharomyces cerevisiae," Yeast, 11(16):1575-1611 (1995). Anonymous, "The yeast genome directory" Nature, 387(6632 Suppl):5 (1997). Appel, et al., "A new generation of information retrieval tools for biologists: the example of the ExPASy WWW server," Trends Biochem Sci, 19(6):258-260 (1994). Attanoos, et al., "Ileostomy polyps, adenomas, and adenocarcinomas," Gut, 37(6):8-844 (1995). Baba, et al., "Construction of Escherichia coli K-12 in-frame, single-gene knockout mutants: the Keio collection," Mol Syst Biol, 2:2006-2008 (2006). Bailey, "Complex Biology With No Parameters," Nat Biotechnol, 19(6):503-504 (2001). Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998). Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998). Bailey, TL and Gribskov, M, "Combining in Escherichia coli," J Gen Microbiol, 73(2):267-272 (1972). Bana, et al., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res, 28(1):77-80 (2000). Ban, et al., "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstructio	31.	gastric pathogen Helicobacter pylori," Nature, 397(6715):176-80 (1999).
processing and modeling." Proc Natl Acad Sci Ü.S.A., 97(18):10101-10106 (2000). Altschul, et al., "Gapped BLAST and PSI-BLAST: A New Generation of Protein Database Search Programs," Nucl Acids Res, 25(17):3389-3402 (1997). Alves, et al., "Systemic properties of ensembles of metabolic networks: application of graphical and statistical methods to simple unbranched pathways," Bioinformatics. 16(6):534-547 (2000). Andre, "An overview of membrane transport proteins in Saccharomyces cerevisiae," Yeast, 11(16):1575-1611 (1995). Anonymous, "The yeast genome directory" Nature, 387(6632 Suppl):5 (1997). Appel, et al., "A new generation of information retrieval tools for biologists: the example of the ExPASy WWW server," Trends Biochem Sci, 19(6):258-260 (1994). Attanoos, et al., "Ileostomy polyps, adenomas, and adenocarcinomas," Gut, 37(6):844 (1995). Baba, et al., "Construction of Escherichia coli K-12 in-frame, single-gene knockout mutants: the Keio collection," Mol Syst Biol, 2:2006-2008 (2006). Bailey, "Complex Biology With No Parameters," Nat Biotechnol, 19(6):503-504 (2001). Bailey, T. and Elkan, C, "Fitting a mixture model by expectation maximization to discover motifs in biopolymers," Proc Int Conf Intell Syst Mol Biol, 2:28-36 (1994). Bailey, T.L and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998). Balley, T.L and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998). Balley, T.L and Gribskov, M, "Combining information into the Saccharomyces genome database," Nucleic Acids Res, 28(1):77-80 (2000). Ball, et al., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res, 28(1):77-80 (2000). Ban, et al., "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001). Bard, et al., "Stero	32.	and normal colon tissues probed by oligonucleotide arrays," <u>Proc Natl Acad Sci U.S.A.</u> , 96(12):6745-6750 (1999).
Database Search Programs," Nucl Acids Res. 25(17):3389-3402 (1997). Alves, et al., "Systemic properties of ensembles of metabolic networks: application of graphical and statistical methods to simple unbranched pathways," Bioinformatics. 16(6):534-547 (2000). Andre, "An overview of membrane transport proteins in Saccharomyces cerevisiae," Yeast, 11(16):1575-1611 (1995). Anonymous, "The yeast genome directory" Nature. 387(6632 Suppl):5 (1997). Appel, et al., "A new generation of information retrieval tools for biologists: the example of the ExPASy WWW server," Trends Biochem Sci. 19(6):258-260 (1994). Attanoos, et al., "Ileostomy polyps, adenomas, and adenocarcinomas," Gut, 37(6):8-844 (1995). Baba, et al., "Construction of Escherichia coli K-12 in-frame, single-gene knockout mutants: the Keio collection," Mol Syst Biol. 2:2006-2008 (2006). Bailey, "Complex Biology With No Parameters," Nat Biotechnol, 19(6):503-504 (2001). Bailey, "Complex Biology With No Parameters," Nat Biotechnol, 19(6):503-504 (2001). Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998). Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998). Balley, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998). Balley, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998). Balley, TL, and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998). Balley, TL, and Gribskov, M, "Combining evidence using p-values: application to sequence companies, 14(1):48-54 (1998). Balley, TL, and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998). Balley, TL, and Gribskov,	33.	processing and modeling," Proc Natl Acad Sci U.S.A., 97(18):10101-10106 (2000).
 araphical and statistical methods to simple unbranched pathways," Bioinformatics. 16(6):534-547 (2000). Andre, "An overview of membrane transport proteins in Saccharomyces cerevisiae," Yeast, 11(16):1575-1611 (1995). Anonymous, "The yeast genome directory" Nature, 387(6632 Suppl):5 (1997). Appel, et al., "A new generation of information retrieval tools for biologists: the example of the ExPASy WWW server," Trends Biochem Sci. 19(6):258-260 (1994). Attanoos, et al., "Ileostomy polyps, adenomas, and adenocarcinomas," Gut, 37(6):88-844 (1995). Baba, et al., "Construction of Escherichia coli K-12 in-frame, single-gene knockout mutants: the Keio collection," Mol Syst Biol. 2:2006-2008 (2006). Bailey, "Complex Biology With No Parameters," Nat Biotechnol. 19(6):503-504 (2001). Bailey, TL and Elkan, C., "Fitting a mixture model by expectation maximization to discover motifs in biopolymers," Proc Int Conf Intell Syst Mol Biol. 2:28-36 (1994). Bailey, TL and Gribskov, M., "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998). Bairoch, A, and Apweiler, R, "The SWISS-PROT Protein Sequence database and its supplement TrEMBL in 2000," Nucleic Acids Res. 28(1):47-80 (2000). Balle, al., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res. 28(1):77-80 (2000). Ban, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol, 73(2):267-272 (1972). Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001). Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses, Lipids, 12(8):645-654 (1977). Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses, Lipids, 12(8):645-654 (1977). 	34.	
Yeast, 11(16):1575-1611 (1995). 72. Anonymous, "The yeast genome directory" Nature, 387(6632 Suppl):5 (1997). Anonymous, "The yeast genome directory" Nature, 387(6632 Suppl):5 (1997). Anonymous, "The yeast genome directory" Nature, 387(6632 Suppl):5 (1997). Appel, et al., "A new generation of information retrieval tools for biologists: the example of the ExPASy WWW server," Trends Biochem Sci. 19(6):258-260 (1994). Attanoos, et al., "Ileostomy polyps, adenomas, and adenocarcinomas," Gut, 37(6):8-844 (1995). Baba, et al., "Construction of Escherichia coli K-12 in-frame, single-gene knockout mutants: the Keio collection," Mol Syst Biol. 2:2006-2008 (2006). Bailey, "Complex Biology With No Parameters," Nat Biotechnol. 19(6):503-504 (2001). Bailey, TL and Elkan, C, "Fitting a mixture model by expectation maximization to discover motifs in biopolymers," Proc lat Conf Intell Syst Mol Biol. 2:28-36 (1994). Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998). Bailey, TL and Apweiler, R, "The SWISS-PROT Protein Sequence database and its supplement TrEMBL in 2000," Nucleic Acids Res. 28(1):45-48 (2000). Balle, tal., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res. 28(1):77-80 (2000). Ban, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol. 73(2):267-272 (1972). Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001). Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses, Lipids, 12(8):645-654 (1977). Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses, Lipids, 12(8):645-654 (1977).	35.	
 Appel, et al., "A new generation of information retrieval tools for biologists: the example of the ExPASy WWW server," Trends Biochem Sci. 19(6):258-260 (1994). Attanoos, et al., "Ileostomy polyps, adenomas, and adenocarcinomas," Gut. 37(6):8-844 (1995). Baba, et al., "Construction of Escherichia coli K-12 in-frame, single-gene knockout mutants: the Keio collection," Mol Syst Biol. 2:2006-2008 (2006). Bailey, Tomplex Biology With No Parameters," Nat Biotechnol. 19(6):503-504 (2001). Bailey, TL and Elkan, C., "Fitting a mixture model by expectation maximization to discover motifs in biopolymers," Proc Int Conf Intell Syst Mol Biol. 2:28-36 (1994). Bailey, TL and Gribskov, M., "Combining evidence using p-values: application to sequence homology searches," Bioinformatics. 14(1):48-54 (1998). Bailey, TL, and Gribskov, M., "Combining evidence using p-values: application to sequence homology searches," Bioinformatics. 14(1):48-54 (1998). Bailey, TL, and Gribskov, M., "Combining evidence using p-values: application to sequence homology searches," Bioinformatics. 14(1):48-54 (1998). Bailey, TL, and Gribskov, M., "Combining evidence using p-values: application to sequence database," Nucleic Acids Res. 28(1):77-80 (2000). Ball, et al., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res, 28(1):77-80 (2000). Ban, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol. 73(2):267-272 (1972). Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001). Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses, Lipids, 12(8):645-654 (1977). Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses, Lipids, 12(8):645-654 (1977). Basaveanis, "T	36.	
example of the ExPASy WWW server," Trends Biochem Sci. 19(6):258-260 (1994). Attanoos, et al., "Ileostomy polyps, adenomas, and adenocarcinomas," Gut, 37(6):8-844 (1995). Baba, et al., "Construction of Escherichia coli K-12 in-frame, single-gene knockout mutants: the Keio collection," Mol Syst Biol. 2:2006-2008 (2006). Bailey, "Complex Biology With No Parameters," Nat Biotechnol. 19(6):503-504 (2001). Bailey, TL and Elkan, C, "Fitting a mixture model by expectation maximization to discover motifs in biopolymers," Proc lat Conf Intell Syst Mol Biol. 2:28-36 (1994). Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998). Bairoch, A, and Apweiler, R, "The SWISS-PROT Protein Sequence database and its supplement TrEMBL in 2000," Nucleic Acids Res. 28(1):45-48 (2000). Ball, et al., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res, 28(1):77-80 (2000). Ban, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol, 73(2):267-272 (1972). Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001). Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses, Lipids, 12(8):645-654 (1977). Baxevanis, "The Molecular Biology Database Collection: 2002 update," Nucleic Acid.	37.	Anonymous, "The yeast genome directory" Nature, 387(6632 Suppl):5 (1997).
 844 (1995). Baba, et al., "Construction of Escherichia coli K-12 in-frame, single-gene knockout mutants: the Keio collection," Mol Syst Biol. 2:2006-2008 (2006). Bailey, "Complex Biology With No Parameters," Nat Biotechnol, 19(6):503-504 (2001). Bailey, "L and Elkan, C, "Fitting a mixture model by expectation maximization to discover motifs in biopolymers," Proc Int Conf Intell Syst Mol Biol. 2:28-36 (1994). Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998). Bairoch, A, and Apweiler, R, "The SWISS-PROT Protein Sequence database and its supplement TrEMBL in 2000," Nucleic Acids Res, 28(1):45-48 (2000). Ball, et al., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res, 28(1):77-80 (2000). Ban, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol, 73(2):267-272 (1972). Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001). Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses, Lipids, 12(8):645-654 (1977). Baxevanis, "The Molecular Biology Database Collection: 2002 update," Nucleic Acid. 	38.	Appel, et al., "A new generation of information retrieval tools for biologists: the example of the ExPASy WWW server," Trends Biochem Sci, 19(6):258-260 (1994).
mutants: the Keio collection," Mol Syst Biol. 2:2006-2008 (2006). Bailey, "Complex Biology With No Parameters," Nat Biotechnol. 19(6):503-504 (2001). Bailey, TL and Elkan, C, "Fitting a mixture model by expectation maximization to discover motifs in biopolymers," Proc Int Conf Intell Syst Mol Biol. 2:28-36 (1994). Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998). Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998). Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998). Ball, et al., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res, 28(1):7-80 (2000). Ban, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol, 73(2):267-272 (1972). Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001). Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses, Lipids, 12(8):645-654 (1977). Baxevanis, "The Molecular Biology Database Collection: 2002 update," Nucleic Acid	39.	Attanoos, et al., "Ileostomy polyps, adenomas, and adenocarcinomas," Gut, 37(6):840-844 (1995).
 (2001). Bailey, TL and Elkan, C, "Fitting a mixture model by expectation maximization to discover motifs in biopolymers," Proc Int Conf Intell Syst Mol Biol. 2:28-36 (1994). Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998). Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998). Bairoch, A, and Apweiler, R, "The SWISS-PROT Protein Sequence database and its supplement TrEMBL in 2000," Nucleic Acids Res, 28(1):45-48 (2000). Ball, et al., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res, 28(1):77-80 (2000). Ban, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol, 73(2):267-272 (1972). Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001). Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses, Lipids, 12(8):645-654 (1977). Baxevanis, "The Molecular Biology Database Collection: 2002 update," Nucleic Acid 	40.	
discover motifs in biopolymers," Proc Int Conf Intell Syst Mol Biol, 2:28-36 (1994). Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998). Bairoch, A, and Apweiler, R, "The SWISS-PROT Protein Sequence database and its supplement TrEMBL in 2000," Nucleic Acids Res, 28(1):45-48 (2000). Ball, et al., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res, 28(1):77-80 (2000). Ban, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol, 73(2):267-272 (1972). Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001). Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses, Lipids, 12(8):645-654 (1977). Baxevanis, "The Molecular Biology Database Collection: 2002 update," Nucleic Acid	41.	
Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to sequence homology searches," Bioinformatics, 14(1):48-54 (1998). Bairoch, A, and Apweiler, R, "The SWISS-PROT Protein Sequence database and its supplement TrEMBL in 2000," Nucleic Acids Res, 28(1):45-48 (2000). Ball, et al., "Integrating functional genomic information into the Saccharomyces genome database," Nucleic Acids Res, 28(1):77-80 (2000). Ban, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol, 73(2):267-272 (1972). Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001). Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses, Lipids, 12(8):645-654 (1977). Baxevanis, "The Molecular Biology Database Collection: 2002 update," Nucleic Acid	42.	
 Bairoch, A, and Apweiler, R, "The SWISS-PROT Protein Sequence database and its supplement TrEMBL in 2000," Nucleic Acids Res, 28(1):45-48 (2000). Ball, et al., "Integrating functional genomic information into the Saccharomyces genome database." Nucleic Acids Res, 28(1):77-80 (2000). Ban, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol, 73(2):267-272 (1972). Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001). Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses, Lipids, 12(8):645-654 (1977). Baxevanis, "The Molecular Biology Database Collection: 2002 update," Nucleic Acid 	43.	Bailey, TL and Gribskov, M, "Combining evidence using p-values: application to
Ball, et al., "Integrating functional genomic information into the Saccharomyces genome database." Nucleic Acids Res. 28(1):77-80 (2000). Bans, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol. 73(2):267-272 (1972). Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001). Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses. Lipids, 12(8):645-654 (1977). Baxevanis, "The Molecular Biology Database Collection: 2002 update," Nucleic Acid	44.	Bairoch, A, and Apweiler, R, "The SWISS-PROT Protein Sequence database and its
Ban, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol, 73(2):267-272 (1972). Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001). Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses, Lipids, 12(8):645-654 (1977). Bacevanis, "The Molecular Biology Database Collection: 2002 update," Nucleic Acid	45.	Ball, et al., "Integrating functional genomic information into the Saccharomyces
Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," Bioinformatics and Bioengineering Conference, 209-216 (2001). Bard, et al., "Sterol mutants of Saccharomyces cerevisiae: chromatographic analyses. Lipids, 12(8):645-654 (1977). Bavevanis, "The Molecular Biology Database Collection: 2002 update," Nucleic Acid	46.	Ban, et al., "Thymine and uracil catabolism in Escherichia coli," J Gen Microbiol,
Lipids, 12(8):645-654 (1977). Baxevanis, "The Molecular Biology Database Collection: 2002 update," Nucleic Acid	47.	Bansal, "Integrating co-regulated gene-groups and pair-wise genome comparisons to automate reconstruction of microbial pathways," <u>Bioinformatics and Bioengineering</u> Conference, 209-216 (2001).
	48	
1003, 50.1-12 (2002).	49.	Baxevanis, "The Molecular Biology Database Collection: 2002 update," <u>Nucleic Acids</u> Res, 30:1-12 (2002).
Beard, et al., "Energy Balance for Analysis of Complex Metabolic Networks," Biophys J, 83(1):79-86 (2002).	50	

51.	Beckers, et al., "Large-Scale Mutational Analysis for the Annotation of the Mouse Genome," Curr Opin Chem Biol, 6(1)17-23 (2002).
52.	Bell, et al., "Composition and functional analysis of the Saccharomyces cerevisiae trehalose synthase complex," J Biol Chem., 273(50):33311-33319 (1998).
53.	Benson, et al., "GenBank," Nucleic Acids Res, 28(1):15-18 (2000).
54.	Berry, "Improving production of aromatic compounds in Escherichia coli by metabolic engineering," Trends Biotechnol, 14(7):250-256 (1996).
55.	Bialy, "Living on the Edges," Nat Biotechnol, 19(2):111-112 (2001).
56.	Bianchi, P, and Zanella, A, "Hematologically Important Mutations: Red Cell Pyruvate Kinase (Third Update)," Blood Cells, Molecules, and Diseases, 15:47-53 (2000).
57.	Biaudet, et al., "Micado – a network-oriented database for microbial genomes," Comput Appl Biosci, 13(4):431-438 (1997).
58.	Birkholz, "Fumarate reductase of Helicobacter pylorian immunogenic protein," J Med Microbiol, 41(1):56-62 (1994).
59	Birner, et al., "Roles of phosphatidylethanolamine and of its several biosynthetic pathways in Saccharomyces cerevisiae," Mol Biol Cell, 12(4):997-1007 (2001).
60.	Blackstock, WP and Weir, MP, "Proteomics: quantitative and physical mapping of cellular proteins," Trends Biotechnol, 17(3):121-127 (1999).
61.	BMES/EMBS Conference, Proceedings of the First Joint, Vol. 2, p. 1217 (1999).
62.	Bochner, "New technologies to assess genotype-phenotype relationships," Nat Rev Genet, 4(4):309-314 (2003).
63.	Boles, E, et al., "Identification and characterization of MAE 1, the Saccharomyces cerevisiae structural gene encoding mitochondrial malic enzyme," J Bacteriol., 180(11):2875-2882 (1998).
64.	Boles, et al., "A family of hexosephosphate mutases in <i>Saccharomyces cerevisia</i> ," <u>Eur J Biochem</u> , 220(1):83-96 (1994).
65.	Boles, et al., "Characterization of a glucose-repressed pyruvate kinase (Pyk2p) in Saccharomyces cerevisiae that is catalytically insensitive to fructose-1,6-bisphosphate," J.Bacteriol, 179(9):2987-2993 (1997).
66.	Bonarius, et al., "Metabolic flux analysis of hybridoma cells in different culture media using mass balances," Biotechnol Bioeng, 50(3):299-318 (1996).
67.	Bono, et al., "Reconstruction of amino acid biosynthesis pathways from the complete genome sequence," Genome Research, 8(3):203-210 (1998).
68.	Bottomley, et al., "Cloning, sequencing, expression, purification and preliminary characterization of a type II dehydroquinase from Helicobacter pylori," <u>Biochem. J.</u> 319(Pt 2):559-565 (1996).
69	Bourot, S and Karst, F, "Isolation and characterization of the Saccharomyces cerevisiae SUT1 gene involved in sterol uptake," Gene, 165(1):97-102 (1995).
70	Burgard. AP and Maranas, CD, "Probing the Performance Limits of the Escherichia coli Metabolic Network Subject to Gene Additions or Deletions," <u>Biotechnol Bioeng</u> , 74(5):364-375 (2001).
71_	Burgard, AP and Maranas, CD, "Review of the Enzymes and Metabolic Pathways (EMP) Database," Metab Eng. 3(3):193-194(2) (2001).
72.	Burgard, et al., "Minimal reaction sets for Escherichia coli metabolism under different growth requirements and uptake environments," <u>Biotechnol Prog.</u> 17(5):791-797 (2001).

	Burgard, et al., "Optknock: a bilevel programming framework for identifying gene
73.	knockout strategies for microbial strain optimization," <u>Biotechnol Bioeng</u> , 84(6):647-657 (2003).
74.	Burns, "Acetyl-CoA carboxylase activity in Helicobacter pylori and the requirement of increased CO2 for growth," Microbiology, 141(Pt 12):3113-3118 (1995).
75.	
76.	
77.	Chalker, et al., "Systematic identification of selective essential genes in Helicobacter pylori by genome prioritization and allelic replacement mutagenesis," <u>J Bacteriol.</u> 183(4):1259-1268 (2001).
78.	Chen, et al., "Characterization of the respiratory chain of Helicobacter pylori," FEMS Immunol Med Microbiol, 24(2):169-174 (1999).
79.	Cherry, et al., "SGD: Saccharomyces Genome Database," <u>Nucleic Acids Res</u> , 26(1):73-79 (1998).
80.	
81.	Ciriacy, M and Breitenbach, I, "Physiological effects of seven different blocks in glycolysis in Saccharomyces cerevisiae," J Bacteriol, 139(1):152-160 (1979).
82	Clarke, "Complete set of steady states for the general stoichiometric dynamical system," J Chem Phys, 75(10):4970-4979 (1981).
83.	Clarke, "Stoichiometric network analysis," Cell Biophys, 12:237-253 (1988).
84.	
85.	Clifton, D and Fraenkel, DG, "Mutant studies of yeast phosphofructokinase.," Biochemistry, 21(8):1935-1942 (1982).
86.	Clifton, et al., "Glycolysis mutants in Saccharomyces cerevisiae.," Genetics, 88(1):1-11 (1978).
87.	Compan, I and Touati, D, et al., "Anaerobic activation of arcA transcription in Escherichia coli: roles of Fnr and ArcA," Mol Microbiol, 11(5):955-964 (1994).
88.	Costanzo, et al., "YPD, PombePD and WormPD: model organism volumes of the BioKnowledge library, an integrated resource for protein information," <u>Nucleic Acids</u> Res. 29(1):75-9 (2001).
89	Cotter, et al., "Aerobic regulation of cytochrome d oxidase (cydAB) operon expression in Escherichia coli: roles of Fnr and AreA in repression and activation," Mol Microbiol. 25(3):605-615 (1997).
90.	
91.	Covert, et al., "Metabolic Modeling of Microbial Strains <i>In Silico</i> ," <u>Trends Biochem Sci</u> , 26(3):179-186 (2001).
92.	Covert, et al., "Regulation of Gene Expression in Flux Balance Models of Metabolism," J Theor Biol, 213(1):73-88 (2001).
93	Covert, MW and Palsson, BO, "Constraints-based models: Regulation of Gene Expression Reduces the Steady-state Solution Space," J Theor Bjol, 216 (2003).
94,	Covert, MW and Palsson, BO, "Transcriptional Regulation in Constraints-based Metabolic Models of Escherichia coli," J Biol Chem, 277(31):28058-28064 (2002).
95	Cupp. JR and McAlister-Henn, L. "Cloning and Characterization of the gene encoding the IDH1 subunit of NAD(+)-dependent isocitizate dehydrogenase from Saccharomyces cerevisiae." J Biol Chem. 267(23): 16417-16423 (1992).
96	D'Haeseleer, et al., "Genetic network inference: from co-expression clustering to reverse engineering," Bioinformatics, 16(8):707-726 (2000).

97.	Danchin, "Comparison Between the Escherichia coli and Bacillus subtilis Genomes Suggests That a Major Function of Polynucleotide Phosphorylase is to Synthesize CDP," DNA Research, 4(1):9-18 (1997).
98.	Dandekar, et al., "Pathway Alignment: Application to the Comparative Analysis of Glycolytic Enzymes," Biochem J, 343(Pt 1):115-124 (1999).
99.	Dantigny, et al., "A new control strategy for yeast production based on the L/A* approach." Appl Microbiol Biotechnol, 36:352-357 (1991).
100	Datsenko, KA and Wanner, BL, "One-step inactivation of chromosomal genes in Escherichia coli K-12 using PCR products," <u>Proc Natl Acad Sci U.S.A.</u> , 97(12):6640- 6645 (2000).
101.	Daum, et al., "Biochemistry, cell biology and molecular biology of lipids of Saccharomyces cerevisiae," Yeast, 14(16):1471-1510 (1998).
102.	Daum, et al., "Systematic analysis of yeast strains with possible defects in lipid metabolism," Yeast, 15(7):601-614 (1999).
103.	Dauner, et al., "Bacillus subrilis Metabolism and Energetics in Carbon-Limited and Excess-Carbon Chemostat Culture," J Bacteriol, 183(24):7308-7317 (2001).
104.	Dauner, et al., "Metabolic Flux Analysis with a Comprehensive Isotopomer Model in <i>Bacillus subtilis</i> ," Biotechnol Bioeng, 76(2):144-156 (2001).
105.	Dauner, M and Sauer, U, "Stoichiometric Growth Model for Riboflavin-Producing Bacillus subtilis," Biotechnol Bioeng, 76(1):132-143 (2001).
106.	de Jong, H., "Modeling and simulation of genetic regulatory systems: a literature review," J Comput Biol, 9(1):67-103 (2002).
107.	De Reuse, et al., "The Helicobacter pylori ureC gene codes for a phosphoglucosamine mutase," J Bacteriol, 179(11):3488-3493 (1997).
108.	Delgado and Liao, "Identifying Rate-Controlling Enzymes in Metabolic Pathways without Kinetic Parameters," Biotechnol Prog. 7:15-20 (1991).
109.	Demain, et al., "Cellulase, clostridia, and ethanol," <u>Microbiol Mol Biol Rev</u> , 69(1):124-154 (2005).
110.	Department of Energy, Breaking the Biological Barriers to Cellulosic Ethanol (2006).
111.	DeRisi, et al., "Exploring the Metabolic and Genetic Control of Gene Expression on a Genomic Scale," Science, 278(5338):680-686 (1997).
112.	Devine, KM, "The <i>Bacillus subtilis</i> Genome Project: Aims and Progress," <u>Trends</u> Biotechnol, 13(6):210-216 (1995).
113.	Dickson, "Sphingolipid Functions in Sacchoromyces Cerevisiae: Comparison to Mammals," Annu Rev Biochem, 67:27-48 (1998).
114	Dickson, et al., "Serine palmitoyltransferase," Methods Enzymol, 311:3-9 (2000).
115.	DiRusso, CC and Black, PN, "Long-chain fatty acid transport in bacteria and yeast. Paradigms for defining the mechanism underlying this protein-mediated process," Mol Cell Biochem, 192(1-2):41-52 (1999).
116	
117	Edwards, et al., "Characterizing the Metabolic Phenotype: A Phenotype Phase Plane Analysis," Biotech Bioeng, 77(1):27-36 (2002).
118.	Edwards, et al., "In Silico Predictions of Escherichia coli metabolic capabilities are Consistent with Experimental Data," Nat Biotechnol, 19(2):125-130 (2001).
119.	Edwards, JS and Palsson, BO, "Robustness analysis of the Escherichia coli metabolic network," Biotechnol Prog. 16(6):927-939 (2000).

	Edwards, JS, and Palsson, BO, "Metabolic flux balance analysis and the in silico
120.	analysis of Escherichia colia K-12 gene deletions," <u>BMC Bioinformatics</u> , 1:1-10 (2000).
121.	Eisen, et al., "Cluster analysis and display of genome-wide expression patterns," Proc Natl Acad Sci U.S.A., 95:14863-14868 (1998).
122.	Eisenberg, et al., "Protein Function in the Post-Genomic Era," Nature, 405(6788):823-826 (2000).
123.	Ermolaeva, et al., "Prediction of Operons in Microbial Genomes," <u>Nucl Acids</u> Research, 29(5):1216-1221 (2001).
124.	
125.	Fiehn, "Metabolomicsthe link between genotypes and phenotypes," Plant Mol Biol, 48(1-2):155-171 (2002).
126.	Finel, "Does NADH play a central role in energy metabolism in Helicobacter pylori?," Trends Biochem Sci, 23(11):412-413 (1998).
127.	Fiorelli, et al., "Chronic non-spherocytic haemolytic disorders associated with glucose- 6-phosphate dehydrogenase variants," <u>Bailliere's Clinical Haematology</u> , 13:39-55 (2000).
128.	
129.	Flikweert, et al., "Pyruvate decarboxylase: an indispensable enzyme for growth of Saccharomyces cerevisiae on glucose.," Yeast, 12(3):247-257 (1996).
130.	Forst, "Network genomics A Novel approach for the analysis of biological systems in the post-genomic era," Molecular Biology Reports, 29(3):265-280 (2002).
131.	Forster, et al., "Large-scale evaluation of in silico gene deletions in Saccharomyces cerevisiae," Omics. 7(2)193-202 (2003).
132.	Fraenkel, "The accumulation of glucose 6-phosphate from glucose and its effect in an Escherichia coli mutant lacking phosphoglucose isomerase and glucose 6-phosphate dehydrogenase," J Biol Chem, 243(24):645.1645(7)(196).
133.	Fraser, et al., "Microbial genome sequencing," Nature, 406:799-803 (2000).
134.	Fromont-Racine, et al., "Toward a functional analysis of the yeast genome through exhaustive two-hybrid screens," Nat Genet, 16(3):277-282 (1997).
135.	Fukuchi, et al., "Isolation, overexpression and disruption of a Saccharomyces cerevisiae YNK gene encoding nucleoside diphosphate kinase," Genes, 129(1):141-146 (1993).
136.	Gaasterland, T. and Selkov, E., "Reconstruction of Metabolic Networks Using Incomplete Information," Proc Int Conf Intell Syst Mol Biol, 3:127-135 (1995).
137.	Gancedo, C and Delgado, MA, "Isolation and characterization of a mutant from Saccharomyces cerevisiae lacking fructose 1,6-bisphosphatase," Eur J Biochem. 139:651-655 (1984).
138	Gangloff, et al., "Molecular cloning of the yeast mitochondrial aconitase gene (ACO1) and evidence of a synergistic regulation of expression by glucose plus glutamate.," Mol Cell Biol. 10(7):3551-3561 (1990).
139.	
140.	Glasner, et al., "ASAP, a systematic annotation package for community analysis of genomes," Nucleic Acids Res, 31(1):147-151 (2003).
141.	Goffeau, A, "Four years of post-genomic life with 6000 yeast genes," FEBS Lett, 480(1):37-41 (2000).
142	Goryanin, et al., "Mathematical simulation and analysis of cellular metabolism and regulation," Bioinformatics, 15(9):749-758 (1999).

143.	Goto, et al., "LIGAND database for enzymes, compounds and reactions," <u>Nucleic Acids Res</u> , 27(1):377-379 (1999).
144.	Goto, et al., "LIGAND: chemical database for enzyme reactions," <u>Bioinformatics</u> , 14(7):591-599 (1998).
145.	Grewal, et al., "Computer Modelling of the Interaction Between Human Choriogonadotropin and Its Receptor," Protein Engineering, 7(2):205-211 (1994).
146.	Griffin, et al., "Complementary profiling of gene expression at the transcriptome and proteome levels in Saccharomyces cerevisiae," Mol Cell Proteomics, 1:323-333 (2002).
147	Grundy, et al., "Regulation of the Bacillus subtilis acetate kinase gene by CcpA." J Bacteriol, 175(22):7348-7355 (1993).
148.	Guelzim, et al., "Topological and causal structure of the yeast transcriptional regulatory network," Nat Genet, 31(1):60-63 (2002).
149.	Guetsova, et al., "The isolation and characterization of Saccharomyces cerevisiae mutants that constitutively express purine biosynthetic genes," Genetics , 147(2):383-397 (1997).
150.	
151.	Hardison, et al., "Globin Gene Server: A Prototype E-Mail Database Server Featuring Extensive Multiple Alignments and Data Compilation for Electronic Genetic Analysis," Genomics, 21(2):344-353 (1994).
152.	Hartig, et al., "Differentially regulated malate synthase genes participate in carbon and nitrogen metabolism of S. cerevisiae.," Nucleic Acids Res. 20(21):5677-5686 (1992).
153.	Hasty, et al., "Computational Studies of Gene Regulatory Networks: <i>In Numero</i> Molecular Biology," Nat Rev Genet, 2(4):268-279 (2001).
154.	Hata, et al., "Characterization of a Saccharomyces cerevisiae mutant, N22, defective in ergosterol synthesis and preparation of [28-14C]ergosta-5,7-dien-3 beta-ol with the mutant," J Biochem, 94(2):501-510 (1983).
155.	Hatzimanikatis, et al., "Analysis and Design of Metabolic Reaction Networks Via Mixed-Interger linear Optimization," AIChE Journal, 42(5):1277-1292 (1996).
156.	Hazell, et al., "How Helicobacter pylori works: an overview of the metabolism of Helicobacter pylori," Helicobacter, 2(1):1-12 (1997).
157.	Heijnen, et al., "Application of balancing methods in modeling the penicillin fermentation," Biotechnology & Bioeng., 21:2175-2201 (1979).
158.	Heinisch, et al., "Investigation of two yeast genes encoding putative isoenzymes of phosphoglycerate mutase.," Yeast, 14(3):203-213 (1998).
159.	Heinrich, et al., "Metabolic regulation and mathematical models," <u>Prog Biophys Mol Biol</u> , 32(1):1-82 (1977).
160	Heinrich, et al., "Stoichiometric Analysis," The Regulation of Cellular Systems, xix:75-111 and 372, Chapman & Hall, New York (1996).
161.	Henriksen, et al., "Growth energetics and metabolism fluxes in continuous cultures of Penicillium chrysogenum," Lof Biotechnol, 45(2):149-164 (1996).
162.	Heyer, et al., "Exploring expression data: identification and analysis of coexpressed genes," Genome Res, 9(11):1106-1115 (1999).
163	Holter, et al., "Dynamic modeling of gene expression data," Proc Natl Acad Sci U.S.A., 98(4):1693-1698 (2001).
164.	Holter, et al., "Fundamental patterns underlying gene expression profiles: simplicity from complexity," Proc Natl Acad Sci U.S.A., 97:8409-9414 (2000).
165.	Houghten, "Generation and use of synthetic peptide combinatorial libraries for basic research and drug discovery," Nature, 354(6348):84-86 (1991).

166.	Hughes, et al., "Functional discovery via a compendium of expression profiles," <u>Cell</u> , 102(1):109-126 (2000).
167.	Hughes, et al., "Helicobacter pylori porCDAB and oorDABC genes encode distinct pyruvate: flavodoxin and 2-oxoglutarate:acceptor oxidoreductases which mediate electron transport to NADP," J Bacteriol, 180(5):119-1128 (1998).
168	Ideker, et al., "Integrated Genomic and Proteomic Analyses of a Systematically Perturbed Metabolic Network," Science, 292(5518):929-934 (2001).
169	Ince, JE and Knowles, CJ, "Ethylene formation by cell-free extracts of Escherichia coli," Arch Microbiol, 146(2):151-158 (1986).
170.	Ishii, et al., "DBTBS: a database of Bacillus subtilis promoters and transcription factors," Nucleic Acids Res, 29(1):278-280 (2001).
171.	lyer, et al., "Genomic binding sites of the yeast cell-cycle transcription factors SBF and MBF," Nature, 409(6819):533-538 (2001).
172.	Jamshidi, et al., "Dynamic simulation of the human red blood cell metabolic network," Bioinformatics, 17(3):286-287 (2001).
173,	Jamshidi, et al., "In silico model-driven assessment of the effects of single nucleotide polymorphins (SNPs) on human red blood cell-metabolism," <u>Genome Research</u> , 12(11):1687-1692 (2002).
174.	Jenkins, LS and Nunn, WD, "Genetic and molecular characterization of the genes involved in short-chain fatty acid degradation in Escherichia coli: the ato system," J Bacteriol, 169(1):42-52 (1987).
175.	Jenssen, et al., "A Literature Network of Human Genes for High-Throughput Analysis of Gene Expression," Nat Genet, 28(1):21-28 (2001).
176.	Jorgensen, et al., "Metabolic flux distributions in <i>Penicillium chrysogenum</i> during fedbatch cultivations." <u>Biotechnol Bioeng</u> , 46(2):117-131 (1995).
177.	Joshi, A and Palsson, BO, "Metabolic dynamics in the human red cell. Part 1A comprehensive kinetic model," J Theor Biol, 141(4):515-528 (1989).
178.	Juty, et al., "Simultaneous Modeling of Metabolic, Genetic, and Product-Interaction Networks," <u>Briefings in Bioinformatics</u> , 2(3):223-232 (2001).
179.	Kanehisa, M and Goto, S, "Kyoto Encyclopedia of Genes and Genomes database (KEGG)," Nucleic Acids Res, 28(1):27-30 (2000).
180.	Karp, "An ontology for biological function based on molecular interactions," Bioinformatics, 16(3):269-285 (2000).
181.	Karp, et al., "Eco Cyc: encyclopedia of Escherichia coli genes and metabolism," Nucleic Acids Res. 27(1):55-58 (1999).
182	Karp, et al., "HinCyc: A knowledge base of the complete genome and metabolic pathways of H. influenzae," Proc Int Conf Intell Syst Mol Biol. 4:116-124 (1996).
183.	Karp, et al., "Integrated pathway-genome databases and their role in drug discovery" Trends Biotechnol, 17(7):275-281 (1999).
184	Karp, et al., "The EcoCyc and MetaCyc databases," <u>Nucleic Acids Resarch</u> , 28(1):56-59 (2000).
185	Kather, et al., "Another unusual type of citric acid cycle enzyme in Helicobacter pylori: the malate:quinone oxidoreductase," J. Bacteriol, 182(11):3204-3209 (2000).
186	Keating, et al., "An ethanologenic yeast exhibiting unusual metabolism in the fermentation of lignocellulosic hexose sugars," <u>I Ind Microbiol Biotechnol</u> , 31(5):235-244 (2004).
187.	

188.	Kim, et al., "Saccharomyces cerevisiae contains two functional citrate synthase genes.," Mol Cell Biol. 6(6):1936-1942 (1986).
189.	Kirkman, et al., "Red cell NADP+ and NADPH in glucose-6-phosphate dehydrogenase deficiency," Journal of Clinical Investigation, 55(4):875-878 (1975).
190.	Kremling, et al., "The organization of metabolic reaction networks. III. Application for diauxic growth on glucose and lactose," Metab Eng. 3(4):362-379 (2001).
191.	Kunst, et al., "The Complete Genome Sequence of the Gram-positive Bacterium Bacillus subtilus," Nature, 390(6557):249-256 (1997).
192.	Lacroute, "Regulation of pyrimidine biosynthesis in Saccharomyces cerevisiae" J Bacteriol, 95(3):824-832 (1968).
193.	Latif. F and Rajoka, MI, "Production of ethanol and xylitol from corn cobs by yeasts," Bioresour Technol, 77(1):57-63 (2001).
194.	Lendenmann, U and Egli, T, "Is Escherichia coli growing in glucose-limited chemostat culture able to utilize other sugars without lag?," Microbiology, 141(Pt 1):71-78 (1995).
195.	Leyva-Vasquez, MA and Setlow, P. "Cloning and nucleotide sequences of the genes encoding triose phosphate isomerase, phosphoglycerate mutuse, and enolase from Bacillus subtilis," J.Bacteriol, 176(13):3903-3910 (1994).
196.	Li, C and Wong, WH, "Model-based analysis of oligonucleotide arrays: expression index computation and outlier detection," <u>Proc Natl Acad Sci U.S.A.</u> , 98(1):31-36 (2001).
197.	Liao, et al., "Pathway Analysis, Engineering, and Physiological Considerations for Redirecting Central Metabolism," Biotechnol Bioeng, 52(1):129-140 (1996).
198.	Liao, JC and Oh, MK, "Toward predicting metabolic fluxes in metabolically engineered strains," Metab Eng. 1(3):214-223 (1999).
199.	Link, et al., "Methods for generating precise deletions and insertions in the genome of wild-type <i>Escherichia coli</i> : Application to open reading frame characterization," J Bacteriol, 179(20):6228-6237 (1997).
200.	Loftus, et al., "Isolation, characterization, and disruption of the yeast gene encoding cytosolic NADP-specific isocitrate dehydrogenase," <u>Biochemistry</u> , 33(32):9661-9667 (1994).
201.	Lopez, et al "The yeast inositol monophosphatase is a lithium- and sodium-sensitive enzyme encoded by a non-essential gene pair," <u>Mol Microbiol</u> , 31(4):1255-1264 (1999).
202.	
203.	Maier, et al., "Hydrogen uptake hydrogenase in Helicobacter pylori," FEMS Microbiol Lett. 141(1):71-76 (1996).
204	Marcelli, et al., "The respiratory chain of Helicobacter pylori: identification of cytochromes and the effects of oxygen on cytochrome and menaquinone levels," FEMS Microbiol Lett, 138(1):59-64 (1996).
205	
206	McAdams, HH and Arkin, A, "Simulation of Prokaryotic Genetic Circuits," <u>Annual</u> Review of Biophysics and Biomolecular Structure, 27:199-224 (1998).
207	
208	McAlister-Henn, L and Thompson, LM, "Isolation and expression of the gene encoding yeast mitochondrial malate dehydrogenase.," J. Bacteriol. 169(11):5157-5166 (1987).
209_	McGee, D.J., "Helicobacter pylori rocF is required for arginase activity and acid protection in vitro but is not essential for colonization of mice or for urease activity," J. Bacteriol, 165(1):65-76 (1998).

210.	Meldrum, "Automation for genomics, part one: preparation for sequencing," Genome Res. 10(8):1081-1092 (2000).
211.	Mendes, P and Kell. D, "Non-linear optimization of biochemical pathways: Applications to metabolic engineering and parameter estimation." <u>Bioinformatics</u> . 14(10):869-883 (1998).
212.	Mendz, et al., "Characterisation of glucose transport in Helicobacter pylori," <u>Biochim</u> Biophys Acta, 1244(2-3):269-276 (1995).
213.	Mendz, et al., "Characterization of fumarate transport in Helicobacter pylori," <u>J Membr Biol</u> , 165(1):65-76 (1998).
214.	Mendz, et al., "De novo synthesis of pyrimidine nucleotides by Helicobacter pylori," <u>J</u> Appl Bacteriol, 77(1):1-8 (1994).
215	
216.	
217.	Mendz, et al., "In situ characterization of Helicobacter pylori arginase," <u>Biochim</u> Biophys Acta, 1388(2):465-477 (1998).
218.	Mendz, et al., "Purine metabolism and the microaerophily of Helicobacter pylori," <u>Arch Microbiol</u> , 168(6):448-456 (1997).
219.	Mendz, et al., "The Entner-Doudoroff pathway in Helicobacter pylori," <u>Arch Biochem Biophys</u> , 312(2):349-356 (1994).
220.	Mendz, GL and Hazell SL, "Aminoacid utilization by Helicobacter pylori," Int J Biochem Cell Biol, 27(10):1085-1093 (1995).
221	
222.	Mendz, GL and Hazell, SL, "Glucose phosphorylation in Helicobacter pylori," <u>Arch Biochem Biophys</u> , 300(1):522-525 (1993).
223.	Mendz, GL, et al., "Pyruvate metabolism in Helicobacter pylori," <u>Arch Microbiol</u> , 162(3):187-192 (1994).
224.	
225.	Mewes, et al., "MIPS: A database for genomes and protein sequences," <u>Nucleic Acids</u> Research, 30(1):31-34 (2002).
226.	Mitchell, "The GLN1 locus of Saccharomyces cerevisiae encodes glutamine synthetase," Genetics, 111(2):243-258 (1985).
227.	Moszer, "The Complete Genome of Bacillus Subtilis: From Sequence Annotation to Data Management and Analysis," FEBS Lett. 430(1-2):28-36 (1998).
228.	Moszer, et al., "SubtiList: the reference database for the bacillus subtilis genome," Nucleic Acids Res, 30(1):62-65 (2002).
229.	Mulquiney, PJ and Kuchel, PW. "Model of 2,3-bisphosphoglycerate metabolism in the human erythrocyte based on detailed enzyme kinetic equations: computer simulation and metabolic control analysis," <u>Biochem J.</u> 342(Pt 3):597-604 (1999).
230,	Murray, M and Greenberg, ML. "Expression of yeast INM1 encoding inositol monophosphatase is regulated by inositol, carbon source and growth stage and is decreased by lithium and valproate," Mol Microbiol, 36(3):651-661 (2000).
231.	Nedenskov, "Nutritional requirements for growth of Helicobacter pylori," <u>Appl Environ Microbiol</u> , 60(9):3450-3453 (1994).
232.	Nissen, et al., "Expression of a cytoplasmic transhydrogenase in Saccharomyces cerevisiae results in formation of 2-oxoglutarate due to depletion of the NADPH pool." Yeast. 18(1):19-32 (2001).
233.	Nissen, et al., "Flux distributions in anaerobic, glucose-limited continuous cultures of Saccharomyces cerevisiae," Microbiology , 143(Pt 1):203-218 (1997).

234.	Ogasawara, "Systematic function analysis of Bacillus subtilis genes," Res Microbiol, 151(2):129-134 (2000).
235	Ogata, et al., "KEGG: Kyoto Encyclopedia of Genes and Genomes," <u>Nucleic Acids</u> Res, 27(1):29-34 (1999).
236.	Oh, MK and Liao, JC, "Gene expression profiling by DNA microarrays and metabolic fluxes in Escherichia coli," Biotech Prog, 16:278-286 (2000).
237.	Olsson, et al., "Separate and simultaneous enzymatic hydrolysis and fermentation of wheat hemicellulose with recombinant xylose utilizing Saccharomyces cerevisiae," Appl Biochem Biotechnol, 129-132:117-129 (2006).
238.	Otto, et al., "A mathematical model for the influence of fructose 6-phosphate, ATP, potassium, ammonium and magnesium on the phosphofructokinase from rat erythrocytes," <u>Eur J Biochem</u> , 49(1):169-178 (1974).
239	Ouzounis, CA and Karp, PD, "Global Properties of the Metabolic Map of Escherichia coli," Genome Res. 10(4):568-576 (2000).
240	Overbeek, et al., "WIT: Integrated System for High-Throughput Genome Sequence Analysis and Metabolic Reconstruction" Nucleic Acids Res, 28(1):123-125 (2000).
241.	Overkamp, et al., "In vivo analysis of the mechanisms for oxidation of cytosolic NADH by Saccharomyces cerevisiae mitochondria," J Bacteriol, 182(10):2823-2830 (2000).
242.	Ozcan, S., Freidel, K., Leuker, A. & Ciriacy, M., "Glucose uptake and catabolite repression in dominant HTR1 mutants of <i>Saccharomyces cerevisiae.</i> ," <u>J Bacteriol</u> , 175(17):5520-5528 (1993).
243.	Pallotta, et al., "Saccharomyces cerevisiae mitochondria can synthesise FMN and FAD from externally added riboflavin and export them to the extramitochondrial phase," FEBS Lett, 428(3):245-249 (1998).
244.	Palmieri, et al., "Identification and functions of new transporters in yeast mitochondria," <u>Biochim Biophys Acta</u> , 1459(2-3):363-369 (2000).
245.	Palmieri, et al., "Identification of the yeast ACR1 gene product as a succinate-fumarate transporter essential for growth on ethanol or acctate," FEBS Lett, 417(1):114-118 (1997).
246.	Palmieri, et al., "Identification of the yeast mitochondrial transporter for oxaloacetate and sulfate," J Biol Chem, 274(32):22184-22190 (1999).
247.	Palmieri, et al., "Yeast mitochondrial carriers: bacterial expression, biochemical identification and metabolic significance," J Bioenerg Biomembr, 32(1):67-77 (2000).
248	Palsson, "The Challenges of in Silico Biology," Nat Biotechnol, 18(11):1147-1150 (2000).
249	Papin, et al., "The genome-scale metabolic extreme pathway structure in Haemophilus influenzae shows significant network redundancy," J Theor Biol, 215(1):67-82 (2002).
250	Parks, "Metabolism of sterols in yeast," CRC Crit Rev Microbiol, 6(4):301-341 (1978).
251.	Parks, et al., "Use of sterol mutants as probes for sterol functions in the yeast, Saccharomyces cerevisiae," Crit Rev Biochem Mol Biol, 34(6):399-404 (1999).
252	
253.	Paulsen, et al., "Unified inventory of established and putative transporters encoded within the complete genome of Saccharomyces cerevisiae," FEBS Lett, 430(1-2):116-125 (1998).
254	Pearson, et al., "Comparison of DNA Sequences With Protein Sequences," <u>Genomics</u> , 46(1):24-36 (1997).
255.	Persson, et al., "Phosphate permeases of Saccharomyces cerevisiae: structure, function and regulation," <u>Biochim Biophys Acta</u> , 1422(3):255-272 (1999).

256.	Peterson, et al., "The Comprehensive Microbial Resource," <u>Nucleic Acids Res</u> , 29(1):123-125 (2001).
257.	Pharkya, et al., "Exploring the overproduction of amino acids using the bilevel optimization framework OptKnock," <u>Biotechnol Bioeng</u> , 84(7):887-899 (2003).
258.	Phelps, et al., "Metabolomics and microarrays for improved understanding of phenotypic characteristics controlled by both genomics and environmental constraints," Curr Opin Biotechnol, 13(1):20-24 (2002).
259.	Pitson, et al., "The tricarboxylic acid cycle of Helicobacter pylori," <u>Eur J Biochem</u> , 260(1):258-267 (1999).
260.	Price, et al., "Determination of redundancy and systems properties of the metabolic network of Helicobacter pylori using genome-scale extreme pathway analysis," Genome Res. 12(5):760-769 (2002).
261.	Price, et al., "Genome-scale models of microbial cells: evaluating the consequences of constraints," Nat Rev Microbiol, 2(11):886-897 (2004).
262.	Price, et al., "Network-based analysis of metabolic regulation in the human red blood cell," J Theor Biol, 225(2):185-194 (2003).
263.	Przybyla-Zawislak, et al., "Genes of succinyl-CoA ligase from Saccharomyces cerevisiae.," Eur J Biochem, 258(2):736-743 (1998).
264.	Qian, et al., "Ethanol production from dilute-Acid softwood hydrolysate by co-culture," Appl Biochem Biotechnol, 134(3):273-284 (2006).
265.	Reed, et al., "An expanded genome-scale model of Escherichia coli K-12 (iJR904 GSM/GPR)," Genome Biol, 4(9):R54 (2003).
266	Reed, JL and Palsson, BO, "Thirteen years of building constraint-based in silico models of Escherichia coli" <u>J Bacteriol</u> , 185(9):2692-2699 (2003).
267.	Regenberg, et al., "Substrate specificity and gene expression of the amino-acid permeases in Saccharomyces cerevisiae," <u>Curr Genet</u> , 36(6):317-328 (1999).
268.	Remize, et al., "Engineering of the pyruvate dehydrogenase bypass in Saccharomyces cerevisiae: role of the cytosolic Mg(2+) and mitochondrial K(+) acetaldehyde dehydrogenases Ald6p and Ald4p in acetate formation during alcoholic fermentation," Appl Environ Microbiol, 66(8):3151-3159 (2000).
269.	Ren, et al., "Genome-wide location and function of DNA binding proteins," Science, 290(5500):2306-2309 (2000).
270.	Repetto, B and Tzagoloff, A, "In vivo assembly of yeast mitochondrial alpha- ketoglutarate dehydrogenase complex," Mol Cell Biol, 11(8):3931-3939 (1991).
271.	Reynolds, DJ and Penn, CW, "Characteristics of Helicobacter pylori growth in a defined medium and determination of its amino acid requirements," <u>Microbiology</u> , 140(Pt 10):2649-2656 (1994).
272.	Rhee, et al., "Activation of gene expression by a ligand-induced conformational change of a protein-DNA complex," <u>J Biol Chem.</u> 273(18):11257-11266 (1998).
273.	Romero, PR and Karp, P, "Nutrient-Related Analysis of Pathway/Genome Databases," Pac Symp Biocomput, 471-482 (2001).
274.	Saier, MH, "Genome sequencing and informatics: new tools for biochemical discoveries," Plant Physiol, 117(4):1129-1133 (1998).
275	Salgado, et al., Nucleic Acids Res. 29(1):72-74 (2001).
276	Salmon, et al., "Global gene expression profiling in Escherichia coli K12. The effects of oxygen availability and FNR," J Biol Chem, 278(32):29837-29855 (2003).
277	Sauer, et al., "Metabolic flux ratio analysis of genetic and environmental modulations of Escherichia coli central carbon metabolism," J Bacteriol. 181(21):6679-6688 (1999).

278. Sauer, U and Bailey, JE, "Estimation of P-to-O Ratio in Bacillus subtilis and I	
	ts
Influence on Maximum Riboflavin Yield, Biotechnol Bloeng, 64(6):730-734	(1999).
279. Sauer, Uwe, "Evolutionary Engineering of Industrially Important Microbial	
Phenotypes, Adv in Biochem Eng Biotechnol, 73:129-169 (2001).	
280. Savageau, "Biochemical systems analysis. I. Some mathematical properties of	the rate
law for the component enzymatic reactions, J Theor Biol, 25(3):365-369 (196	59).
Schaaff-Gerstenschlager, I and Zimmermann, FK, "Pentose-phosphate pathwa	
281. Saccharomyces cerevisiae: analysis of deletion mutants for transketolase, tran	saldolase,
and glucose 6-phosphate dehydrogenase," Curr Genet, 24(5):373-376 (1993).	
282. Schaff, et al., "the Virtual cell" Proceedings of the Pacific Symposium on	
Biocomputing, 4:228-239 (1999).	
283.	
Schilling, "On Systems Biology and the Pathway Analysis of Metabolic Netw	
284. Department of Bioengineering, University of California, San Diego: La Jolla,	p. 198-
241 (2000).	
Schilling, CH and Palsson, BO, "Assessment of the Metabolic Capabilities of	
285. Haemophilus influenzae Rd Through a Genome-scale Pathway Analysis," J T	heor Biol
203(3):249-283 (2000).	
286. Schilling, CH and Palsson, BO, "The Underlying Pathway Structure of Bioche	emical
Reaction Networks, Proc Natl Acad Sci U.S.A., 95(8):4193-4198 (1998).	
Schilling, et al., "Combining Pathway Analysis with Flux Balance Analysis for	
287. Comprehensive Study of Metabolic Systems," <u>Biotechnol Bioeng</u> , 71(4):286-	306
(2000-2001).	- 11
288. Schilling, et al., "Genome-scale metabolic model of Helicobacter pylori 2669:), "
J Bacteriol, 184(16):4582-4593 (2002). Schilling, et al., "Metabolic Pathway Analysis: Basic Concepts and Scientific	
Applications in the Post-genomic Era," <u>Biotechol Prog.</u> 15(3):296-303 (1999)	
Schilling, et al., "Theory for the Systematic Definition of Metabolic Pathways	
290. Their Use in Interpreting Metabolic Function from a Pathway-Oriented Perspe	
J Theor Biol, 203(3):229-248 (2000).	ctive,
Schneider, et al., "The Escherichia coli gabDTPC operon: specific gamma-	
291. aminobutyrate catabolism and nonspecific induction," J Bacteriol, 184(24):69	76-6986
(2002).	70 0700
Schuster, et al., "A general definition of metabolic pathways useful for system	atic
292 organization and analysis of complex metabolic networks," Nature Biotechno.	
18(3):326-332 (2000).	.,
Schuster, et al., "Detection of elementary flux modes in biochemical networks	: a
293. promising tool for pathway analysis and metabolic engineering," Trends Biote	
17(2):53-60 (1999).	
Schuster, et al., "Exploring the pathway structure of metabolism: decompositi-	on into
294 subnetworks and application to Mycoplasma pneumoniae." Bioinformatics, 18	
361 (2002).	
Schuster, S and Hilgetag, C, "On elementary flux modes in biochemical reacti	on
205 Schuster, 5 and ringetag, C, On elementary nux modes in biochemical feacti	
systems at steady state," J Biol Syst, 2(2):165-182 (1994).	
systems at steady state," J Biol Syst, 2(2):165-182 (1994). Schwikowski, et al. "A network of protein-protein interactions in yeast." Nati	ire
systems at steady state," J Biol Syst, 2(2):165-182 (1994).	ire
systems at steady state," J Biol Syst, 2(2):165-182 (1994). Schwikowski, et al., "A network of protein-protein interactions in yeast," Nati	are

299.	Selkov, et al., "Functional Analysis of Gapped Microbial Genomes: Amino Acid Metabolism of Thiobacillus Ferroxidans," <u>Proc Natl Acad Sci U.S.A.</u> , 97(7):3509-3514 (2000).
300.	Selkov, et al., "MPW: the metabolic pathways database," <u>Nucleic Acids Res</u> , 26(1):43-45 (1998)
301.	Selkov, et al., "The metabolic pathway collection from EMP: the enzymes and metabolic pathways database," Nucleic Acids Res, 24(1):26-28 (1996).
302.	Shen-Orr, et al., "Network motifs in the transcriptional regulation network of Escherichia coli," Nat Genet, 31(1):64-68 (2002).
303.	
304	
305.	Silve, et al., "The immunosuppressant SR 31747 blocks cell proliferation by inhibiting a steroid isomerase in Saccharomyces cerevisiae." Mol Cell Biol, 16(6):2719-2727 (1996).
306.	Skouloubris, et al., "The Helicobacter pylori Urel protein is not involved in urease activity but is essential for bacterial survival in vivo," <u>Infect Immun</u> , 66(9):4517-4521 (1998).
307.	Smith, et al., "Functional analysis of the genes of yeast chromosome V by genetic footprinting.," Science, 274(5295):2069-2074 (1996).
308.	
309.	
310	Sorlie, et al., "Gene expression patterns of breast carcinomas distinguish tumor subclasses with clinical implications," <u>Proc Natl Acad Sci U.S.A.</u> , 98(19):10869-10874 (2001).
311.	Stark, et al., "Amino acid utilisation and deamination of glutamine and asparagine by Helicobacter pylori," J Med Microbiol, 46(9):793-800 (1997).
312.	Stephanopoulos, "Metabolic engineering," Curr Opin Biotechnol, 5(2):196-200 (1994).
313.	Summers, et al., "Saccharomyces cerevisiae cho2 mutants are deficient in phospholipid methylation and cross-pathway regulation of inositol synthesis" Genetics , 120(4):909-922 (1988).
314.	Swartz, "A PURE approach to constructive biology.," Nat Biotechnol, 19(8):732-733 (2001).
315.	Syvanen, "Accessing genetic variation: Genotyping single nucleotide polymorphisms.," Nat Rev Genet, 2(12):930-942 (2001).
316	Szambelan, et al., "Use of Zymomonas mobilis and Saecharomyces cerevisiae mixed with Kluyveromyces fragilis for improved ethanol production from Jerusalem artichoke tubers," <u>Biotechnol Lett.</u> 26(10):845-848 (2004).
317	Tamayo, et al., "Interpreting patterns of gene expression with self-organizing maps: methods and application to hematopoietic differentiation." Proc Natl Acad Sci U.S.A. , 96(6):2907-2912 (1999).
318	
319.	Taniguchi, M and Tanaka, T, "Clarification of interactions among microorganisms and development of co-culture system for production of useful substances," <u>Adv Biochem Eng Biotechnol.</u> 90:35-62 (2004).
320	Tao, et al., "Engineering a homo-ethanol pathway in Escherichia coli: increased glycolytic flux and levels of expression of glycolytic genes during xylose fermentation," J Bacteriol. 183(10):2979-2988 (2001).

321.	ter Linde, et al., "Genome-wide transcriptional analysis of aerobic and anaerobic chemostat cultures of Saccharomyces cerevisiae," J. Bacteriol, 181(24):7409-7413 (1999).
322.	(1999). Thomas, "Boolean Formalization of Genetic Control Circuits," <u>J Theor Biol</u> , 42(3):563-585 (1973).
323.	Thomas, "Logical Analyses of Systems Comprising Feedback Loops," J Theor Biol. 73(4):631-656 (1978).
324.	Thomas, D and Surdin-Kerjan, Y, "Metabolism of sulfur amino acids in Saccharomyces cerevisiae," Microbiol Mol Biol Rev, 61(4):503-532 (1997).
325.	Tomb, et al., "The complete genome sequence of the gastric pathogen Helicobacter pylori," Nature. 388(6642):539-547 (1997).
326.	Trotter, et al., "A genetic screen for aminophospholipid transport mutants identifies the phosphatidylinositol 4-kinase, STT4p, as an essential component in phosphatidylserine metabolism," J Biol Chem, 273(21):13189-13196 (1998).
327.	Uetz, et al., "A comprehensive analysis of protein–protein interactions in Saccharomyces cerevisiae," Nature, 403(6770):623-627 (2000).
328.	Van den Berg, MA and Steensma, HY, "ACS2, a Saccharomyces cerevisiae gene encoding acetyl-coenzyme A synthetase, essential for growth on glucose," <u>Eur J</u> Biochem, 23 (3):704-713 (1995).
329.	van Dijken, et al., "Alcoholic fermentation by 'non-fermentative' yeasts," Yeast, 2(2):123-127 (1986).
330.	van Dijken, et al., "Kinetics of growth and sugar consumption in yeasts," <u>Antonie Van Leeuwenhoek</u> , 63(3-4):343-352 (1993).
331.	Vanrolleghem, et al., "Validation of a Metabolic Network for Saccharomyces cerevisiae Using Mixed Substrate Studies," Biotechnol Prog. 12(4):434-448 (1996).
332.	Varma, A and Palsson, BO, "Metabolic capabilities of <i>Escherichia coli</i> . II: Optimal Growth Patterns.," J Theor Biol, 165:503-522 (1993).
333.	Varma, A and Palsson, BO, "Metabolic capabilities of <i>Escherichia coli</i> : 1. Synthesis of Biosynthetic Precursors and Cofactors," J Theor Biol, 165:477-502 (1993).
334.	45(1):69-79 (1995).
335.	Varma, A and Palsson, BO, "Predictions for Oxygen Supply Control to Enhance Population Stability of Engineered Production Strains," <u>Biotechnol Bioeng</u> , 43(4):275- 285 (1994).
336	Varma, A and Palsson, BO, "Stoichiometric flux balance models quantitatively predict growth and metabolic by-product secretion in wild-type Escherichia coli W3110," App Environ Microbiol, 60(10):3724-3731 (1994).
337	Varma, et al., "Biochemical Production Capabilities of <i>Escherichia coli</i> ," Biotechnol Bioeng, 42(1):59-73 (1993).
338	Varma, et al., "Stoichiometric Interpretation of Escherichia coli Glucose Catabolism Under Various Oxygenation Rates.," Appl Environ Microbiol, 59(8):2465-2473 (1993)
339	Varner, J and Ramkrishna, D, "Mathematical Models of Metabolic Pathways," <u>Curr</u> Opin Biotechnol, 10(2):146-150 (1999).
340	Velculescu, et al., "Analysing uncharted transcriptomes with SAGE," <u>Trends Genet</u> . 16(10):423-425 (2000).
341	

Verduyn, "Physiology of yeasts in relation to biomass yields," Antonie Van Leeuwenhoek, 64,3-13:25-353 (1991). Werduyn, et al., "A theoretical evaluation of growth yields of yeasts," Antonie Van Leeuwenhoek, 59(1):49-63 (1991). Verduyn, et al., "Energetics of Saccharomyces cerevisiae in anaerobic glucose-limited chemostat cultures," J Gen Microbiol, 136:405-412 (1990). Vissing, et al., "Paradoxically Enhanced Glucose Production During Exercise in Humans with Blocked Glycolysis Caused by Muscle Phosphofructokinase Deficiency," Neurology, 47(3):766-771 (1996). Wang, et al., "Computer-aided baker's yeast fermentations," Biotechnol and Bioeng, 19(1):69-86 (1977). Wen, et al., "Computer Control of Bakers' Yeast Production," Biotechnol and Bioeng, 21:975-995 (1979). Wen, et al., "Large-scale temporal gene expression mapping of central nervous system development," Proc Natl Acad Sci U.S.A., 95(1):334-339 (1998). Wiback, SJ and Palsson, BO, "Extreme pathway analysis of human red blood cell metabolism," Biophys J, 83:808-818 (2002). Wieczorke, et al., "Concurrent knock-out of at least 20 transporter genes is required to block uptake of hexoses in Saccharomyces cerevisiae," FEBS Lett, 464(3):123-128 (1999). Wingender, et al., "The TRANSFAC system on gene expression regulation," Nucleic Acids Res, 29(1):281-283 (2001). Wong, P., et al., "Mathematical Model of the Lac Operon: Inducer Exclusion, Catabolite Repression, and Diauxic Growth on Glucose and Lactose," Biotechnol Prog. 13(2):132-143 (1997). Yamada, et al., "Effects of common polymorphisms on the properties of recombinant human methylenetetrahydrofolate reductase," Proc Natl Acad Sci U.S.A., 98(26):14853-14858 (2001). Yeung, et al., "Reverse engineering gene networks using singular value decomposition and robust regression," Proc Natl Acad Sci U.S.A., 99(9):6163-6168 (2002). Yoshida, et al., "Combined transcriptome and proteome analysis as a powerful approach to study genes under glucose repression in Bacillus subtilis," Nucleic Acids Res, 29(3):683-692		
Lecuwenhock, 59(1):39-63 (1991). Verduyn, et al., "Energetics of Saccharomyces cerevisiae in anaerobic glucose-limited chemostat cultures," J. Gen Microbiol, 136-405-412 (1990). Vissing, et al., "Paradoxically Enhanced Glucose Production During Exercise in Humans with Blocked Glycolysis Caused by Muscle Phosphofructokinase Deficiency," Neurology, 47(3):766-771 (1996). 346 Wang, et al., "Computer-aided baker's yeast fermentations," Biotechnol and Bioeng, 19(1):69-86 (1977). 347 Wang, et al., "Computer Control of Bakers' Yeast Production," Biotechnol and Bioeng, 21:975-995 (1979). 348 Wen, et al., "Large-scale temporal gene expression mapping of central nervous system development," Proc Natl Acad Sci U.S.A., 95(1):334-339 (1998). 350 Wiback, SJ and Palsson, BO, "Extreme pathway analysis of human red blood cell metabolism," Biophys J, 83:808-818 (2002). Wieczorke, et al., "Concurrent knock-cout of at least 20 transporter genes is required to block uptake of hexoses in Saccharomyces cerevisiae," FEBS Lett, 464(3):123-128 (1999). 352 Wingender, et al., "The TRANSFAC system on gene expression regulation," Nucleic Acids Res, 29(1):281-283 (2001). 354 Wong, P., et al., "Mathematical Model of the Lac Operon: Inducer Exclusion, Catabolite Repression, and Diauxic Growth on Glucose and Lactose," Biotechnol Prog. 13(2):132-143 (1997). 355 Wanda, et al., "Effects of common polymorphisms on the properties of recombinant human methylenetertahydrofolate reductase," Proc Natl Acad Sci U.S.A., 98(26):14853-14858 (2001). 357 Yeung, et al., "Reverse engineering gene networks using singular value decomposition and robust regression," Proc Natl Acad Sci U.S.A., 99(9):6163-6168 (2002). 358 Yeung, et al., Bioinformatics, "Model-based clustering and data transformations for gene expression data," 17(10):977-87 (2001). 359 Young, et al., Bioinformatics, "Model-based clustering and data transformations for gene expression data," 17(10):977-87 (2001). 360 Zaclalla, A and Bianchi, P. "Red cell pyruvate kinase deficiency: from	342.	Verduyn, "Physiology of yeasts in relation to biomass yields," <u>Antonie Van</u> Leeuwenhoek, 60(3-4):325-353 (1991).
chemostat cultures." J Gen Microbiol, 136:405-412 (1990). Vissing, et al., "Paradoxically Enhanced Glucose Production During Exercise in Humans with Blocked Glycolysis Caused by Muscle Phosphofructokinase Deficiency," Neurology, 47(3):766-771 (1996). 346 Wang, et al., "Computer-aided baker's yeast fermentations," Biotechnol and Bioeng, 19(1):69-86 (1977). 347. Wang, et al., "Computer Control of Bakers' Yeast Production," Biotechnol and Bioeng, 19(1):69-86 (1977). 348 Wen, et al., "Large-scale temporal gene expression mapping of central nervous system development." Proc Natl Acad Sci U.S.A., 95(1):334-339 (1998). 350 Wiback, SJ and Palsson, BO. "Extreme pathway analysis of human red blood cell metabolism." Biophys J. 83:808-818 (2002). Wiezorke, et al., "Concurrent knock-out of at least 20 transporter genes is required to block uptake of hexoses in Saccharomyces cerevisiae," FEBS Lett, 464(3):123-128 (1999). 351 352 353 Wingender, et al., "The TRANSFAC system on gene expression regulation," Nucleic Acids Res. 29(1):281-283 (2001). 354 Wong, P., et al., "Mathematical Model of the Lac Operon: Inducer Exclusion, 364 355 Catabolite Repression, and Diauxic Growth on Glucose and Lactose," Biotechnol Prog. 13(2):132-143 (1997). 356 Yamada, et al., "Effects of common polymorphisms on the properties of recombinant human methylenetertarhydrofolate reductase," Proc Natl Acad Sci U.S.A., 98(26):14853-14858 (2001). 357 358 359 360 361 361 362 Yeung, et al., Bioinformatics, "Model-based clustering and data transformations for gene expression data," 17(10):977-87 (2001). 363 364 365 366 367 367 368 369 369 360 360 360 360 360 361 361 361	343	
Humans with Blocked Glycolysis Caused by Muscle Phosphofructokinase Deficiency," Neurology, 47(3):766-771 (1996). 346 Wang, et al., "Computer-aided baker's yeast fermentations," Biotechnol and Bioeng, 19(1):69-86 (1977). 347 Wang, et al., "Computer Control of Bakers' Yeast Production," Biotechnol and Bioeng, 21:975-995 (1979). 348 Wen, et al., "Large-scale temporal gene expression mapping of central nervous system development," Proc Natl Acad Sci U.S.A., 95(1):334-339 (1998). Wiback, SJ and Palsson, BO, "Extreme pathway analysis of human red blood cell metabolism," Biophys J. 83:808-818 (2002). 350 Wiczorke, et al., "Concurrent knock-out of at least 20 transporter genes is required to block uptake of hexoses in Saccharomyces cerevisiae," FEBS Lett, 464(3):123-128 (1999). 351 Wingender, et al., "The TRANSFAC system on gene expression regulation," Nucleic Acids Res. 29(1):281-283 (2001). 352 Wong, P., et al., "Mathematical Model of the Lac Operon: Inducer Exclusion, Catabolite Repression, and Diauxic Growth on Glucose and Lactose," Biotechnol Prog. 13(2):132-143 (1997). 353 Yamada, et al., "Effects of common polymorphisms on the properties of recombinant human methylenetetrahydrofolate reductase," Proc Natl Acad Sci U.S.A., 98(26):14853-14858 (2001). 354 Yeung, et al., "Reverse engineering gene networks using singular value decomposition and robust regression," Proc Natl Acad Sci U.S.A., 99(9):6163-6168 (2002). 355 Yeung, et al., "Revoment and proteome analysis as a powerful approach to study genes under glucose repression in Bacillus subtilis," Nucleic Acids Res., 29(3):683-692 (2001). 360 Zanella. A and Bianchi, P., "Red cell pyruvate kinase deficiency: from genetics to clinical manifestations," Bailliere's Best Pract Res Clin Hacmatol 13(1):57-81 (2000) 361 362 Zweytick, et al., "Biochemical characterization and subcellular localization of the sterol C-24(28) reductase, erg4p, from the yeast saccharomyces cerevisiae." FEBS Lett. 470(1):83-87 (2000)	344.	
19(1):69-86 (1977). 347. Wang, et al., "Computer Control of Bakers' Yeast Production," Biotechnol and Bioeng, 21:975-995 (1979). 348. Wen, et al., "Large-scale temporal gene expression mapping of central nervous system development," Proc Natl Acad Sci U.S.A., 95(1):334-339 (1998). 350. Wiback, SJ and Palsson, BO, "Extreme pathway analysis of human red blood cell metabolism," Biophys J, 83:808-818 (2002). 351. Wieczorke, et al., "Concurrent knock-out of at least 20 transporter genes is required to block uptake of hexoses in Saccharomyces cerevisiae," FEBS Lett, 464(3):123-128 (1999). 352. Wingender, et al., "The TRANSFAC system on gene expression regulation," Nucleic Acids Res, 29(1):281-283 (2001). 353. Acids Res, 29(1):281-283 (2001). 354. Wong, P., et al., "Mathematical Model of the Lac Operon: Inducer Exclusion, Catalogue Control of the Company of the Co	345,	Humans with Blocked Glycolysis Caused by Muscle Phosphofructokinase Deficiency,"
21:975-995 (1979). 348. Wen, et al., "Large-scale temporal gene expression mapping of central nervous system development." Proc Natl Acad Sci U.S.A., 95(1):334-339 (1998). Winder, St. and Palsson, B.O. "Extreme pathway analysis of human red blood cell metabolism," Biophys J. 83:808-818 (2002). Wicezorke, et al., "Concurrent knock-out of at least 20 transporter genes is required to block uptake of hexoses in Saccharomyces cerevisiae," FEBS Lett, 464(3):123-128 (1999). 352. Wingender, et al., "The TRANSFAC system on gene expression regulation," Nucleic Acids Res. 29(1):281-283 (2001). Wong, P., et al., "Mathematical Model of the Lac Operon: Inducer Exclusion, Catabolite Repression, and Diauxic Growth on Glucose and Lactose," Biotechnol Prog. 13(2):132-143 (1997). Yamada, et al., "Effects of common polymorphisms on the properties of recombinant human methylenetetrahydrofolate reductase," Proc Natl Acad Sci U.S.A., 98(26):14853-14858 (2001). 357. Yeung, et al., "Reverse engineering gene networks using singular value decomposition and robust regression." Proc Natl Acad Sci U.S.A., 99(9):6163-6168 (2002). Yoshida, et al., "Combined transcriptome and proteome analysis as a powerful approach to study genes under glucose repression in Bacillus subtilis," Nucleic Acids Res. 29(3):683-692 (2001). Zanella. A and Bianchi, P. "Red cell pyruvate kinase deficiency: from genetics to clinical manifestations." Bailliere's Best Pract Res Clin Hacmatol 13(1):57-81 (2000) Zhu, J and Zhang, MO, "SCPD: a promoter database of the yeast Saccharomyces cerevisiae." Bioinformatics, 15(7-8):607-611 (1999).	346	
348. 349. 349. 349. 340.	347.	
Wen, et al., "Large-scale temporal gene expression mapping of central nervous system development," Proc. Natl Acad Sci. U.S.A., 95(1):334-339 (1998). Whoack, SJ and Palsson, BO, "Extreme pathway analysis of human red blood cell metabolism," Biophys J, 83:808-818 (2002). Wieczorke, et al., "Concurrent knock-out of at least 20 transporter genes is required to block uptake of hexoses in Saccharomyces cerevisiae," FEBS Lett. 464(3):123-128 (1999). 352. 353. Wingender, et al., "The TRANSFAC system on gene expression regulation," Nucleic Acids Res. 29(1):281-283 (2001). 354. Wong, P., et al., "Mathematical Model of the Lac Operon: Inducer Exclusion, Catabolite Repression, and Diauxic Growth on Glucose and Lactose," Biotechnol Prog. 13(2):132-143 (1997). Yamada, et al., "Effects of common polymorphisms on the properties of recombinant human methylenetertahydrofolate reductase," Proc Natl Acad Sci U.S.A., 98(26):14853-14858 (2001). 357. 358. Yeung, et al., "Reverse engineering gene networks using singular value decomposition and robust regression," Proc Natl Acad Sci U.S.A., 99(9):6163-6168 (2002). 359. 360. Zonella, A ind, "Growbined transcriptome and proteome analysis as a powerful approach to study genes under glucose repression in Bacillus subtilis," Nucleic Acids Res. 29(3):683-692 (2001). 360. Zanella, A and Bianchi, P. "Red cell pyruvate kinase deficiency: from genetics to clinical manifestations," Bailliere's Best Pract Res Clin Haematol 13(1):57-81 (2000) (2011). 361. Zweytick, et al., "Biochemical characterization and subcellular localization of the sterol C-24(28) reductase, erg4p, from the yeast saccharomyces cerevisiae." FEBS Lett. 4-70(1):83-87 (2000).	348.	
metabolism," Biophys J, 83:808-818 (2002). Wieczorke, et al., "Concurrent knock-out of at least 20 transporter genes is required to block uptake of hexoses in Saccharomyces cerevisiae," FEBS Lett. 464(3):123-128 (1999). 352. 353. Wingender, et al., "The TRANSFAC system on gene expression regulation," Nucleic Acids Res. 29(1):281-283 (2001). 354. Wong, P., et al., "Mathematical Model of the Lac Operon: Inducer Exclusion, Catabolite Repression, and Diauxic Growth on Glucose and Lactose," Biotechnol Prog. 13(2):132-143 (1997). Yamada, et al., "Effects of common polymorphisms on the properties of recombinant human methylenetertahydrofolate reductase," Proc Natl Acad Sci U.S.A., 98(26):14853-14858 (2001). 357. Yeung, et al., "Reverse engineering gene networks using singular value decomposition and robust regression," Proc Natl Acad Sci U.S.A., 99(9):6163-6168 (2002). Yoshida, et al., "Combined transcriptome and proteome analysis as a powerful approach to study genes under glucose repression in Bacillus subtilis," Nucleic Acids Res. 29(3):683-692 (2001). 360. Zanella. A and Bianchi, P. "Red cell pyruvate kinase deficiency: from genetics to clinical manifestations," Bailliere's Best Pract Res Clin Haematol 13(1):57-81 (2000) 361. Zhu, J and Zhang, MO, "SCPD: a promoter database of the yeast Saccharomyces cerevisiae." Bioinformatics, 15(7-8):607-611 (1999). Zweytick, et al., "Biochemical characterization and subcellular localization of the sterol C-24(28) reductase, erg4p, from the yeast saccharomyces cerevisiae." FEBS Lett. 470(1):83-87 (2000)		
551. block uptake of hexoses in Saccharomyces cerevisiae," FEBS Lett, 464(3):123-128 (1999). 352. Wingender, et al., "The TRANSFAC system on gene expression regulation," Nucleic Acids Res. 29(1):281-283 (2001). 353. Wong, P., et al., "Mathematical Model of the Lac Operon: Inducer Exclusion, 13(2):132-143 (1997). 354. Wong, P., et al., "Effects of common polymorphisms on the properties of recombinant human methylenetertarhydrofolate reductase," Proc Natl Acad Sci U.S.A., 98(26):14853-14858 (2001). 357. Yeung, et al., "Reverse engineering gene networks using singular value decomposition and robust regression," Proc Natl Acad Sci U.S.A., 99(9):6163-6168 (2002). 358. Yeung, et al., Bioinformatics, "Model-based clustering and data transformations for gene expression data," 17(10):977-87 (2001). 359. Yoshida, et al., "Combined transcriptome and proteome analysis as a powerful approach to study genes under glucose repression in Bacillus subtilis," Nucleic Acids Res. 29(3):683-692 (2001). 360. Zanella, A and Bianchi, P, "Red cell pyruvate kinase deficiency: from genetics to clinical manifestations," Bailliere's Best Pract Res Clin Haematol 13(1):57-81 (2000) 361. Zhu, J and Zhang, MO, "SCPD: a promoter database of the yeast Saccharomyces cerevisiae," Bioinformatics, 15(7-8):607-611 (1999). 362. Zweytick, et al., "Biochemical characterization and subcellular localization of the sterol C-24(28) reductase, erg4p, from the yeast saccharomyces cerevisiae." FEBS Lett, 470(1):83-87 (2000).	350.	metabolism," Biophys J, 83:808-818 (2002).
wingender, et al., "The TRANSFAC system on gene expression regulation," Nucleic Acids Res. 29(1):281-283 (2001). Wong, P., et al., "Mathematical Model of the Lac Operon: Inducer Exclusion, Catabolite Repression, and Diauxic Growth on Glucose and Lactose," Biotechnol Prog. 13(2):132-143 (1997). Yamada, et al., "Effects of common polymorphisms on the properties of recombinant human methylenetertahydrofolate reductase," Proc Natl Acad Sci U.S.A., 98(26):14853-14858 (2001). 357. Yeung, et al., "Reverse engineering gene networks using singular value decomposition and robust regression," Proc Natl Acad Sci U.S.A., 99(9):6163-6168 (2002). Yeung, et al., "Reverse engineering gene networks using singular value decomposition and robust regression," Proc Natl Acad Sci U.S.A., 99(9):6163-6168 (2002). Yeung, et al., "Reverse engineering gene networks using singular value decomposition and robust regression," Proc Natl Acad Sci U.S.A., 99(9):6163-6168 (2002). Yoshida, et al., "Combined transcriptome and proteome analysis as a powerful approach to study genes under glucose repression in Bacillus subtilis," Nucleic Acids Res. 29(3):683-692 (2001). 360. Zanella. A and Bianchi, P. "Red cell pyruvate kinase deficiency: from genetics to clinical manifestations," Bailliere's Best Pract Res Clin Haematol 13(1):57-81 (2000) 361. Zhu, J and Zhang, MO, "SCPD: a promoter database of the yeast Saccharomyces cerevisiae." Bioinformatics, 15(7-8):607-611 (1999). Zweytick, et al., "Biochemical characterization and subcellular localization of the sterol C-24(28) reductase, erg4p, from the yeast saccharomyces cerevisiae." FEBS Lett. 470(1):83-87 (2000).	351.	block uptake of hexoses in Saccharomyces cerevisiae," FEBS Lett, 464(3):123-128
Acids Res. 29(1):281-283 (2001). 354 Wong, P., et al., "Mathematical Model of the Lac Operon: Inducer Exclusion, Catabolite Repression, and Diauxic Growth on Glucose and Lactose," Biotechnol Prog. 13(2):132-143 (1997). Yamada, et al., "Effects of common polymorphisms on the properties of recombinant human methylenetetrahydrofolate reductase," Proc Natl Acad Sci U.S.A., 98(26):14853-14858 (2001). Yeung, et al., "Reverse engineering gene networks using singular value decomposition and robust regression," Proc Natl Acad Sci U.S.A., 99(9):6163-6168 (2002). Yeung, et al., "Bioinformatics," Model-based clustering and data transformations for gene expression data," 17(10):977-87 (2001). Yoshida, et al., "Combined transcriptome and proteome analysis as a powerful approach to study genes under glucose repression in Bacillus subtilis," Nucleic Acids Res, 29(3):683-692 (2001). Zanella. A and Bianchi, P. "Red cell pyruvate kinase deficiency: from genetics to clinical manifestations," Bailliere's Best Pract Res Clin Hacmatol 13(1):57-81 (2000) 27 (2001). Zhu, J and Zhang, MO, "SCPD: a promoter database of the yeast Saccharomyces cerevisiae," Bioinformatics, 15(7-8):607-611 (1999). Zweytick, et al., "Biochemical characterization and subcellular localization of the sterol C-24(28) reductase, erg4p, from the yeast saccharomyces cerevisiae." FEBS Lett. 470(1):83-87 (2000)	352.	
354. Wong, P., et al., "Mathematical Model of the Lac Operon: Inducer Exclusion, 55. Catabolite Repression, and Diauxic Growth on Glucose and Lactose," Biotechnol Prog. 13(2):132-143 (1997). Yamada, et al., "Effects of common polymorphisms on the properties of recombinant human methylenetetrahydrofolate reductase," Proc Natl Acad Sci U.S.A., 98(26):14853-14858 (2001). 357. Yeung, et al., "Reverse engineering gene networks using singular value decomposition and robust regression." Proc Natl Acad Sci U.S.A., 99(9):6163-6168 (2002). 358. Yeung, et al., Bioinformatics, "Model-based clustering and data transformations for gene expression data," 17(10):977-87 (2001). 359. Young, et al., "Combined transcriptome and proteome analysis as a powerful approach to study genes under glucose repression in Bacillus subtilis," Nucleic Acids Res. 29(3):683-692 (2001). 360. Zanella, A and Bianchi, P, "Red cell pyruvate kinase deficiency: from genetics to clinical manifestations," Bailliere's Best Pract Res Clin Haematol 13(1):57-81 (2000) 361. Zhu, J and Zhang, MO, "SCPD: a promoter database of the yeast Saccharomyces cerevisiae," Bioinformatics, 15(7-8):607-611 (1999). Sweytick, et al., "Biochemical characterization and subcellular localization of the sterol C-24(28) reductase, erg4p, from the yeast saccharomyces cerevisiae." FEBS Lett, 470(1):83-87 (2000). PERCONDITION PERCONDITIO	353.	
Wong, P., et al., "Mathematical Model of the Lac Operon: Inducer Exclusion, Catabolite Repression, and Diauxic Growth on Glucose and Lactose," Biotechnol Prog. 13(2):132-143 (1997). Yamada, et al., "Effects of common polymorphisms on the properties of recombinant human methylenetertahydrofolate reductase," Proc Natl Acad Sci U.S.A., 98(26):14853-14858 (2001). 357. Yeung, et al., "Reverse engineering gene networks using singular value decomposition and robust regression." Proc Natl Acad Sci U.S.A., 99(9):6163-6168 (2002). 358. Yeung, et al., "Bioinformatics, "Model-based clustering and data transformations for gene expression data." 17(10):977-87 (2001). Yoshida, et al., "Combined transcriptome and proteome analysis as a powerful approach to study genes under glucose repression in Bacillus subtilis," Nucleic Acids Res. 29(3):683-692 (2001). Zanella. A and Bianchi, P. "Red cell pyruvate kinase deficiency: from genetics to clinical manifestations," Bailliere's Best Pract Res Clin Haematol 13(1):57-81 (2000) Zhu, J and Zhang, MO, "SCPD: a promoter database of the yeast Saccharomyces cerevisiae." Bioinformatics, 15(7-8):607-611 (1999). Zweytick, et al., "Biochemical characterization and subcellular localization of the sterol C-24(28) reductase, erg4p, from the yeast saccharomyces cerevisiae." FEBS Lett. 470(1):83-87 (2000)	354.	
human methylenetetrahydrofolate reductase," Proc Natl Acad Sci U.S.A. , 98(26):14853-14858 (2001). 7 Yeung, et al., "Reverse engineering gene networks using singular value decomposition and robust regression," Proc Natl Acad Sci U.S.A. , 99(9):6163-6168 (2002). 7 Yeung, et al., "Bioinformatics," "Model-based clustering and data transformations for gene expression data," 17(10):977-87 (2001). 7 Yoshida, et al., "Combined transcriptome and proteome analysis as a powerful approach to study genes under glucose repression in Bacillus subtilis," Nucleic Acids Res. , 29(3):683-692 (2001). 2 Annella, A and Bianchi, P. "Red cell pyruvate kinase deficiency: from genetics to clinical manifestations," Bailliere's Best Pract Res Clin Haematol 13(1):57-81 (2000) 2 Thu, J and Zhang, MO, "SCPD: a promoter database of the yeast Saccharomyces cerevisiae," Bioinformatics , 15(7-8):607-611 (1999). 2 Zweytick, et al., "Biochemical characterization and subcellular localization of the sterol C-24(28) reductase, erg4p, from the yeast saccharomyces cerevisiae." FEBS Lett , 470(1):83-87 (2000).	355.	Catabolite Repression, and Diauxic Growth on Glucose and Lactose," Biotechnol Prog,
and robust regression," Proc Natl Acad Sci U.S.A., 99(9):6163-6168 (2002). Yeung, et al., Bioinformatics, "Model-based clustering and data transformations for gene expression data," 17(10):977-87 (2001). Yoshida, et al., "Combined transcriptome and proteome analysis as a powerful approach to study genes under glucose repression in Bacillus subtilis," Nucleic Acids Res, 29(3):683-692 (2001). Zanella, A and Bianchi, P. "Red cell pyruvate kinase deficiency: from genetics to clinical manifestations," Bailliere's Best Pract Res Clin Haematol 13(1):57-81 (2000) Zhu, J and Zhang, MO, "SCPD: a promoter database of the yeast Saccharomyces cerevisiae," Bioinformatics, 15(7-8):607-611 (1999). Zweytick, et al., "Biochemical characterization and subcellular localization of the sterol C-24(28) reductase, erg4p, from the yeast saccharomyces cerevisiae." FEBS Lett, 470(1):83-87 (2000).	356.	human methylenetetrahydrofolate reductase, "Proc Natl Acad Sci U.S.A., 98(26):14853-14858 (2001).
gene expression data," 17(10):977-87 (2001). Yoshida, et al., "Combined transcriptome and proteome analysis as a powerful apaporach to study genes under glucose repression in Bacillus subtilis," Nucleic Acids Res, 29(3):683-692 (2001). Zanella, A and Bianchi, P. "Red cell pyruvate kinase deficiency: from genetics to clinical manifestations," Bailliere's Best Pract Res Clin Haematol 13(1):57-81 (2000) Zhu, J and Zhang, MO, "SCPD: a promoter database of the yeast Saccharomyces cerevisiae," Bioinformatics, 15(7-8):607-611 (1999). Zweytick, et al., "Biochemical characterization and subcellular localization of the sterol C-24(28) reductase, erg4p, from the yeast saccharomyces cerevisiae." FEBS Lett, 470(1):83-87 (2000).	357.	
 approach to study genes under glucose repression in Bacillus subtilis, "Nucleic Acids Res, 29(3):683-692 (2001). Zanella. A and Bianchi, P. "Red cell pyruvate kinase deficiency: from genetics to clinical manifestations." Bailliere's Best Pract Res Clin Haematol 13(1):57-81 (2000) Zhu, J and Zhang, MO, "SCPD: a promoter database of the yeast Saccharomyces cerevisiae." Bioinformatics. 15(7-8):607-611 (1999). Zweytick, et al., "Biochemical characterization and subcellular localization of the sterol C-24(28) reductase, erg4p, from the yeast saccharomyces cerevisiae." FEBS Lett. 470(1):83-87 (2000). 	358.	gene expression data," 17(10):977-87 (2001).
clinical manifestations," <u>Bailliere's Best Pract Res Clin Haematol</u> 13(1):57-81 (2000) Zhu, J and Zhang, MO, "SCPD: a promoter database of the yeast Saccharomyces cerevisiae," <u>Bioinformatics</u> , 15(7-8):607-611 (1999). Zweytick, et al., "Biochemical characterization and subcellular localization of the sterol C-24(28) reductase, erg4p, from the yeast saccharomyces cerevisiae." <u>FEBS Lett</u> , 470(1):83-87 (2000).	359.	approach to study genes under glucose repression in Bacillus subtilis," <u>Nucleic Acids</u> Res, 29(3):683-692 (2001).
Zhu, J and Zhang, MO, "SCPD: a promoter database of the yeast Saccharomyces cerevisiae." Bioinformatics, 15(7-8):607-611 (1999). Zweytick, et al., "Biochemical characterization and subcellular localization of the sterol C-24(28) reductase, erg4p, from the yeast saccharomyces cerevisiae." FEBS Lett. 470(1):83-87 (2000).		
cerevisiae," Bioinformatics, 15(7-8):607-611 (1999). 363 Zweytick, et al., "Biochemical characterization and subcellular localization of the sterol C-24(28) reductase, erg4p, from the yeast saccharomyces cerevisiae." FEBS Lett, 470(1):83-87 (2000).	361	
Zweytick, et al., "Biochemical characterization and subcellular localization of the sterol C-24(28) reductase, erg4p, from the yeast saccharomyces cerevisiae." FEBS Lett, 470(1):83-87 (2000).	362.	
364 C-24(28) reductase, erg4p, from the yeast saccharomyces cerevisiae." FEBS Lett, 470(1):83-87 (2000).	363	
365.		7
		C-24(28) reductase, erg4p, from the yeast saccharomyces cerevisiae." FEBS Lett,

366	
367.	
368.	URL ca.expasy.org/sprot/, protein database SWISS—PROT.
369.	
370.	URL dchip.org, dChip software.
371.	URL Dictionary.com pgs 1-2 (2004), Matrix.
372.	
373.	
374	
375.	URL genome.ad.jp/kegg/, Kyoto Encyclopedia of Genes and Genomes database (KEGG).
376.	URL Genome.jp Website, KEGG Bacillus subtillis, 1-7 (2005).
377.	
378.	
379	
380.	
381.	
382.	URL ncbi.nlm.nih.gov/entrez/query.fcgi?db=Genome, The NCBI Entrez Genome database